stomdevice

SIMPLICITY - PERFORMANCE - EXCELLENCE



General practice equipment

Anthogyr
PRIME MOVER IN IMPLANTOLOGY

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice







"DISCOVER
THE ANTHOGYR
WHOLE LINE
EQUIPMENT"

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

Contents

GENERAL PRACTICE EQUIPMENT

SMALL EQUIPMENTS

P. 4 AUTOMATIC PERIOTOME - EXO SAFE

P. 6 MONT BLANC® RANGE CONTRA ANGLES

P. 8 AUTOMATIC AND MANUAL CROWN REMOVERS - SAFE RELAX® / SAFE REMOVER®

P. 10 HANDPIECE

CONSERVATIVE DENTISTRY

P. 11 CONTRA ANGLES FOR ENDODONTICS-NITI CONTROL® / MICRO NITI

P. 12 CONICAL AND CYLINDRO-CONICAL POSTS - PIVOT MASTER®

P. 15 FIBERGLASS POSTS - FIBIO®

P. 16 METALLIC POSTS - EXCEL POST® / EUROPOST®

P. 20 PACKAGING FOR POSTS

P. 21 AMALGAM CARRIER

ANAESTHESIA

P. 22 STAINLESS STEEL SYRINGES - STERILIFE®

P. 23 CHROME-PLATED SYRINGES

P. 24 NEEDLE RECAPPER

P. 25 INTRALIGAMENTAL SYRINGES - MINIJECT® / ERGOJECT®

P. 26 TECHNICAL DATA

P. 29 ACCESSORIES

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

EXO SAFE

Automatic periotome

135°C

Composed by a pre-calibrated impaction instrument and blades, the automatic periotome Exo Safe is a solution for atraumatic dental extractions. Multi-purpose, it becomes an automatic osteotome when used together with the OsteoSafe insert.*



Progressive and controlled impaction
- → Maximum bone plate preservation
- → Easier mobilization of the tooth and fractured roots
- → Effective and time-saving procedure



6 blade types
- → Straight convex periotomes ◖ wide and thin
- → Straight concave periotomes ❩ medium and thin
- → Angled convex periotomes ◖ vertical and horizontal



Universal connection ISO 3944
- → Compatible with all types of implantology and chair motors
- → One single motor speed 15 000 rpm max ; 1:1 Ratio



Specific tri-lobe connection
- → Excellent insert retention during use
- → Intuitive and secure locking
- → Maximum torque resistance

Products references

COMPLETE EXTRACTION KIT (including 1 impactor Safe + 6 periotomes + 1 sterilization box)	SET OF 6 PERIOTOMES + 1 STERILIZATION BOX
EXO_FULL	**EXO_SET**

See page 26 for **technical data**.
See page 29 for **accessories**.

*See our "equipments for implantology and surgery" catalogue.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

MONT BLANC® RANGE

General practice equipement

135°C

Contra-angles dedicated to dental care (enamel work, elimination of decayed tissues, cavity crowns preparation, removal of filling materials, finishing and polishing of dental and restoration surfaces).



Ref. **10000XL**



Miniaturized head
→ Easier access



Internal quadruple spray irrigation
→ Cooling of the site and conservation from heat



Ceramic bearings* reducing the wear and tear associated with friction
→ Increased strength and durability for enamel work



Functional design and protective I-coat® coating
→ Anatomical handling and scratch resistant

Products references

	CONTRA-ANGLE MULTIPLIER 1:5 (DRILL CA Ø1.6FG)	CONTRA-ANGLE 1:1 (DRILL CA Ø 2.35)	CONTRA-ANGLE REDUCER 5:1 (DRILL Ø 2.35)
LIGHT	**10000XL**	**10200XL**	**10300XL**
WITHOUT-LIGHT	**10000X**	**10200X**	**10300X**

*Only for ref. **10000X** and **10000XL** contra-angles.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ



Ref. **10200XL**

Ref. **10000XL**

Ref. **10300XL**

See page 26 for **technical data**.
See page 29 for **accessories**.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

SAFE RELAX®

Automatic crown and bridge remover

135°C

Intended for the removal of fixed prostheses (single or multiple-unit).





Standardized universal connection

→ Can be adapted to all types of standardized motors and chairs




5 progressive levels of intensity

→ Perfect control of applied pressure and preservation of the prosthetic structure (even ceramic)



ATD wire-tip system reducing stress on bridges*

→ Excellent stability during use and reduced risk of fracturing prostheses



Transformation of rotational movements in micro-impacts (up to 20 micro-impacts per second) and easy functioning without resetting

→ Less traumatic system for the patient and possible work in the optimal coronary axis in mouth

→ Preservation of restorations, even fragile ones

Products references

WITH HOOKS	WITH HOOKS + WIRE TIPS
6950C	6961C

See page 26 for **technical data.** See page 29 for **accessories.**

*Included in the set 6961C.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

SAFE REMOVER®

Manual crown and bridge remover

135°C

Intended for the removal of fixed prostheses (single or multiple-unit).



Square rod
→ Increased stability
→ Good grip during use




Bayonet-mounting system
→ Simplicity of handling and secure locking



ATD wire-tip system reducing stress on bridges*
→ Excellent stability during use and reduced risk of fracturing prostheses

Products references

WITH HOOKS	WITH HOOKS + WIRE-TIPS
1820A	**ATD310B**



Sterilization box
→ Easy storage and maintenance



See page 26 for **technical data**.


*Included in the set ATD310B.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

STRAIGHT HANDPIECE

135°C

Intended to retouch dental prostheses, remove dentin, and cut out parts of the tooth or prosthesis.



High speed (up to 40,000 rpm)
→ Robustness and durability over time



Tool locking / unlocking by rotation
→ Easy insertion / removal of the tool



Instrument compatible with short or long drills*
→ Wide range of indications



Ref. **4330D***

Product reference

HANDPIECE
4330 D

See page 26 for **technical data.** See page 29 for **accessories.**

*Bur sold separately.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

NITI CONTROL® & MICRO NITI

Contra-angles for endodontics


135°C

Intended for cleaning, shaping and filling of root canals.




Ref. **10608 MBP**

Ref. **10628 MBP-DA**



Automatic stop when reaching a fixed torque level*
- → Reduction of file fractures
- → Secured procedure



4 levels of torque selection*
- → Easy to adjust
- → Reduction of effort based on the file used



Micro-head
- → Excellent visibility in mouth
- → Better access to posterior sectors



Chrome plated surface treatment ensuring a flat surface
- → Scratch resistance
- → Easier maintenance

Products references

	MICRO NITI WITH LATCH TYPE HEAD	MICRO NITI WITH PUSH BUTTON	NITI CONTROL®
128:1	10628	10628 MBP	10628 MBP-DA
64:1	10664	10664 MBP	10664 MBP-DA
32:1	10632	10632 MBP	-
16:1	10616	10616 MBP	-
8:1	10608	10608 MBP	-

*For NITI CONTROL® only.


See page 26 for **technical data.**

See page 29 for **accessories.**


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

CONICAL AND CYLINDRO-CONICAL PIVOT MASTER®


Intended for conservative restoration of damaged and devitalized tooth by indirect technique



Retentive head geometry
→ Reduces risk of post uncoupling



Distribution of forces and reduction of mechanical stress for a better removal of the dental impression
→ Prevents impression tears



Simultaneous dual clipping system for repositioning
→ Eliminates positioning errors of the post within the impression

2 versions available: cylindro-conical and conical



Ref. **2882C**



Ref. **2784C**

Delivered in an intelligent dispenser (see page 20)



Ref. **2880L**



Ref. **2780L**

*Patended system.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Product references

	lg 9.5 - Ø 1.3	lg 11.5 - Ø 1.3	lg 11.5 - Ø 1.4	lg 13.5 - Ø 1.4	lg 13.5 - Ø 1.5	lg 15.5 - Ø 1.6	lg 17.5 - Ø 1.7
Castable posts[1]	C 2881 C	CL 2881 CL	C 2882 C	CL 2882 CL	C 2883 C	C 2884 C	C 2885 C
Metallic posts[1]	I 2881 I	IL 2881 IL	I 2882 I	IL 2882 IL	I 2883 I	I 2884 I	I 2885 I
Drills[2]	2891 T		2892 T		2893 T	2894 T	2895 T
Gate drill[2]	5485 T						

Selective mixed assortment *Ref.* **2880L**	C + I x 25	C + I x 25	C + I x 25	C + I x 20	C + I x 15	5 drill bits*	1 gate drill bits	1 calibration film
Assortment of castable posts *Ref.* **2880LC**	C x 40	C x 40	C x 40	C x 30	C x 20	5 drill bits*	1 gate drill bits	1 calibration film
Assortment of metallic posts *Ref.* **2880LI**	I x 30	I x 30	I x 30	I x 20	I x 10	5 drill bits*	1 gate drill bits	1 calibration film

	lg 9	lg 9 L[3]	lg 11	lg 11 L[3]	lg 13	lg 12	lg 14	lg 16
Castable posts[1]	C 2781 C	CL 2781 CL	C 2782 C	CL 2782 CL	C 2783 C	C 2784 C	C 2785 C	C 2786 C
Stainless steel posts[1]	I 2781 I	IL 2781 IL	I 2782 I	IL 2782 IL	I 2783 I	I 2784 I	I 2785 I	I 2786 I
Drills[2]	2791 T - 1 groove					2792 T - 2 grooves		
Gate drill[2]	5485 T							

Selective mixed assortment *Ref.* **2780L**	C + I x 20	C + I x 25	C + I x 25	C + I x 25	C + I x 10	C + I x 10	2 drill bits**	1 gate drill bits	1 calibration film
Assortment of castable posts *Ref.* **2780LC**	C x 40	C x 50	C x 50	C x 30	C x 20	C x 20	2 drill bits**	1 gate drill bits	1 calibration film
Assortment of metallic posts *Ref.* **2780LI**	I x 40	I x 50	I x 50	I x 30	I x 20	I x 20	2 drill bits**	1 gate drill bits	1 calibration film

[1] Set of 20 or set of 100 in the desired size. For a refill of 20, add "V" after the reference. For a refill of 100, add "C" after the reference.
[2] Set of 3 in the desired size.
[3] Long version.

*1 of each size (Ref. 2891, 2892, 2893, 2894, 2895). **In the desired size.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

PIVOT MASTER® LOCKS

Range of locks for stabilizing a post in the case of divergent roots.
Available in stainless steel or in a castable material.



Cylindro-conical

	Ø 1.3	Ø 1.4	Ø 1.5	Ø 1.6	Ø 1.7
Castable locks[1]	2871 C	2872 CL	2873 C	2874 C	2875 C
Stainless steel locks[1]	2871 I	2872 I	2873 I	2874 I	2875 I
Drills[2]	2891 T	2892 T	2893 T	2894 T	2895 T
Gate drill[2]	5485 T				

Conical

	lg 22 - 1 groove	lg 25 - 2 groove
Castable locks[1]	2771 C	2772 C
Stainless steel locks[1]	2771 I	2772 I
Drills[2]	2891 T - 1 groove	2892 T - 2 groove
Gate drill[2]	5485 T	

[1] Set of 12 or set of 100 in the desired size. For a refill of 12, add "D" after the reference.
For a refill of 100, add "C" after the reference.
[2] The drills are sold in sets of 3 in the desired size.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

FIBIO® FIBERGLASS POST

Post for carrying out direct or indirect reconstitutions, aesthetics, without shading under the ceramic.




Reinforced, radio-opaque, white fiberglass
→ Superior mechanical resistance with classic fibres
→ Aesthetic results without shadows



Uniform distribution of forces and design ensuring a high level of crown or root retention
→ Reduces risk of fractures
→ Good anatomical adaptation



Chemical composition close to that of bonding products
→ Better adherence and compatibility of the post
→ Homogeneous and solid prosthetic structure



Delivered in an intelligent dispenser (see page 20)



INTRODUCTORY KIT
Ref. **9800**

x 5	**FBC 1**
x 5	**FBC 2**
x 5	**FBC 3**
x 5	**FBC 4**
x 1	**2891_T**
x 1	**2892_T**
x 1	**2893_T**
x 1	**2895_T**
x 20	Reamer stop
x 1	Calibration film

Product references

	DRILL BIT	FIBIO® REFILLS	IMPRESSION POSTS
Ø 1.1 mm	**2891 T***	**FBC 1 - lg 14****	**2881_IV**
Ø 1.25 mm	**2892 T***	**FBC 2 - lg 15****	**2882_IV**
Ø 1.35 mm	**2893 T***	**FBC 3 - lg 17****	**2883_IV**
Ø 1.50 mm	**2895 T***	**FBC 4 - lg 18****	**2885_IV**


*Set of 3 drills bits for FIBIO® posts. **Refill of 10 FIBIO® posts.

See page 26 for **technical data.**


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

EXCEL POST®


Titanium posts intended for carrying out conservative restoration on damaged single-rooted (RVS) or multi-rooted (TVS) teeth by direct technique.



Retentive geometry of the conical (RVS) or grooved (TVS) head
→ Solidity and stability of the restoration
→ Reduces need for touch-ups




Grooves allowing the evacuation of dentin debris or sealing cement
→ Reduces apical forces and eliminates the risks of complications



Anchoring by 4 turns of the screw and sealing
Very fine self-tapping threading
→ Easy to screw without much effort
→ Maximum preservation of the site without trauma


2 versions available: posterior sector and anterior sector



RVS



TVS




Colour-coding of posts, wrenches and drills
→ System that ensures proper component usage



Ref. **3345**



Ref. **3346 to 3349**



Ref. **8845**



Ref. **8846 to 8849**

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Product references

Posts	RVS1	RVS2	RVS3	RVS4
Ø	0.90	1.10	1.30	1.50
Length	5.80	7.30	8.80	10.30
Drill[2]	5520 T	5521 T	5522 T	5523 T
Drill bit[2]	5480 T	5481 T	5482 T	5483 T
Wrench	5490	5491	5492	5493
Gate drill[2]	5485 T			

	RVS1	RVS2	RVS3	RVS4	Drill bits[3]	Floating drill	Wrench	Calibration film
Ref. **3345**	x 6	x 6	x 6	x 6	x 4	x 4	x 1	x 1
Ref. **3346**	x 6				x 1	x 1	x 1	x 1
Ref. **3347**		x 6			x 1	x 1	x 1	x 1
Ref. **3348**			x 6		x 1	x 1	x 1	x 1
Ref. **3349**				x 6	x 1	x 1	x 1	x 1

Posts	TVS1	TVS2	TVS3	TVS4
Ø	0.90	1.10	1.30	1.50
Length	6.50	8.00	9.50	11.00
Drill[2]	5480 T	5481 T	5482 T	5483 T
Wrench	5475	5476	5477	5478
Gate drill[2]	5485 T			


	TVS1	TVS2	TVS3	TVS4	Drill bits[3]	Wrench	Calibration film
Ref. **8845**	x 10	x 10	x 10	x 10	x 4	x 4	x 1
Ref. **8846**	x 10				x 1	x 1	x 1
Ref. **8847**		x 10			x 1	x 1	x 1
Ref. **8848**			x 10		x 1	x 1	x 1
Ref. **8849**				x 10	x 1	x 1	x 1

[1] Set of 12, 100 or 1000 in the desired size. For a refill of 12, add "D" after the reference.
For a refill of 100, add "C" after the reference. For a refill of 1000, add"M" after the reference.
[2] Drill bur and gate: sold as a set of 3 in the desired size.
[3] 1 of each size (Ref. 5480, 5481, 5482, 5483).
The RVS pins and RVSs and their drills are available in a long version. Add "L" after each reference.


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

EURO POST®


Titanium or stainless steel post intended for carrying out a conservative restoration on damaged teeth by direct technique.



Divisible retaining head with stabilizing base*
→ Optimization of prosthetic retention
→ Precise adaptation to the restored site



Grooves allowing evacuation of dentin debris or sealing cement*
→ Reduces apical forces and eliminates the risks of complication




Threading and surface condition ensuring double root retention
→ Better adherence of the cement reinforcing the anchorage of the post


2 available materials



Stainless steel



Titanium




Excellent biocompatibility of titanium*
→ Good level of tolerance for the patient

Product references


	N° 0 - Ø 0.9**	N° 1 - Ø 1.1**	N° 2 - Ø 1.3**	N° 3 - Ø 1.5**	Short drill bits	Long drill bits	Stops	Hollow wrench	Cruciform wrench	Calibration film
Ref. **7782**	x 10	x 10	x 10	x 10	x 4		x 20	x 1	x 1	x 1
Ref. **7782RF**	x 10	x 10	x 10	x 10	x 4	x 4	x 20	x 1	x 1	x 1
Ref. **5604**						x 4				
Ref. **5608Q**							x 50			
Ref. **5303**								x 1		
Ref. **5304**									x 1	

*On the Titanium version only.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

TITANIUM[1] EURO POSTS (CONTINUED)				DRILL BITS[2]		FLOATING DRILL[2]
Ø	Root length	Ref.	1/1 scale	Ref.	1/1 scale	Ref.
N° 0 - Ø 0.9	short S 3.50	**7800 R**		**5609 T**		**5600 T**
	medium M 5.50	**7801 R**		**5610 T**		
	long L 7.50	**7802 R**				
N° 1 - Ø 1.10	short S 4.50	**7805 R**		**5611 T**		**5601 T**
	medium M 6.50	**7806 R**		**5612 T**		
	long L 8.50	**7807 R**				
N° 2 - Ø 1.30	short S 5.50	**7810 R**		**5613 T**		**5602 T**
	medium M 7.50	**7811 R**		**5614 T**		
	long L 9.50	**7812 R**				
N° 3 - Ø 1.50	short C 6.50	**7815 R**		**5615 T**		**5603 T**
	medium M 8.50	**7816 R**		**5616 T**		
	long L 11.50	**7817 R**				

	N° 0 - Ø 0.9**	N° 1 - Ø 1.1**	N° 2 - Ø 1.3**	N° 3 - Ø 1.5**	Short drill bits	Long drill bits	Floating drill	Stops	Hollow wrench	Cruciform wrench	Calibration film
Ref. **5320**	x 10	x 10	x 10	x 10	x 4			x 20	x 1	x 1	x 1
Ref. **53020LD**	x 10	x 10	x 10	x 10	x 4		x 4	x 20	x 1	x 1	x 1
Ref. **5608Q**								x 50			
Ref. **5303**									x 1		
Ref. **5304**										x 1	

EURO-POSTS INOX[1]				FORETS[2]	
Ø	Root length	Ref.	1/1 scale	Ref.	1/1 scale
N° 0 - Ø 0.9	short S 4.20	**5300**		**5609 T**	
	medium M 6,00	**5301**		**5610 T**	
	long L 7,80	**5302**			
N° 1 - Ø 1.10	short S 4,70	**5305**		**5611 T**	
	medium M 6,50	**5306**		**5612 T**	
	long L 8,30	**5307**			
N° 2 - Ø 1.30	short S 5,60	**5310**		**5613 T**	
	medium M 7,40	**5311**		**5614 T**	
	long L 9,20	**5312**			
N° 3 - Ø 1.50	short S 6,50	**5315**		**5615 T**	
	medium M 8,30	**5316**		**5616 T**	
	long L 10,10	**5317**			
N° 4 - Ø 1.70	short S 8,30	**5324**		**5617 T**	
	medium M 9,80	**5325**		**5618 T**	
	long L 11,30	**5326**			

** Short + Medium + Long.
[1] Set of 12, 100 or 1000 in the desired size. For a refill of 20, add "V" after the reference.
For a refill of 100, add "C" after the reference. For a refill of 1000, add "M" after the reference.
[2] Drill bits, drills and gate: sold as a set of 3 in the desired size.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

PACKAGING FOR POSTS


Intelligent selective dispenser



Selective opening by socket

→ Functional design and ease of use


→ Restriction of the contents falling out, in the case of reversal or spillage



Integrated calibration film and gauge

→ Evaluation of the reference adapted to the restoration

→ Reduces the risk of error



Clever, ergonomic design

→ Easier to handle with only one hand



Fibio®



Cylindro-conical pivot master®




Conical pivot master®

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

AMALGAM CARRIER

Device intended for the transport, onlay and compaction of dental amalgam.



Fixed or adjustable rotating handle in the desired position
→ Ergonomically designed and easy to use



Precise calibrated adjustment which prevents blockage of the push mechanism
→ Precision and durability



Body made of stainless steel with titanium tips
→ Reduced risk of intolerance



Product references

AMALGAM CARRIER		
Ø 2 mm	Ø 2.5 mm	Ø 3 mm
1500 F	**1510 F**	**1520 F**

See page 29 for **accessories.**


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

STERILIFE®

Stainless steel anesthetic syringes

135°C


Syringes intended for dental care in the field of local or regional anaesthesia.



Made of 100% stainless steel
→ Excellent resistance to sterilization cycles
→ Thinness of piece fitting



3 versions available: without aspiration, with self-aspiration and manual aspiration with ring
→ Ability to adapt to the clinical practice



Self-aspiration system*
→ Easy and quick to use

WARRANTY 5 years



Ref. **2310** *Ref.* **2320** *Ref.* **2330**

Product references

SYRINGE WITHOUT ASPIRATION	SELF-ASPIRATION SYRINGE	SYRINGE WITH MANUAL ASPIRATION WITH RING
2310	2320	2330

*Available on *Ref.* 2320 only.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

CHROME-PLATED SYRINGES


Chrome plated anaesthesia syringes

135°C

Syringes intended for dental care in the field of local or regional anaesthesia.



Insertion of the cartridge by rocking
→ Reduction of cartridge movement for greater convenience



Versions available with or without aspiration device
→ Ability to adapt to the clinical practice and indications



Straight or ring handle
→ Choice of grip



Ref. **1640** *Ref.* **3800** *Ref.* **3800 A**



Recapper
P. 24

Product references


SYRINGE WITH STRAIGHT HANDLE WITHOUT ASPIRATION	SYRINGE WITH STRAIGHT HANDLE WITH ASPIRATION	SYRINGE WITH RING WITH ASPIRATION
1640	3800	3800 A

See page 29 for **accessories.**

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

NEEDLE RECAPPER


Device intended to receive and secure a syringe in the case of local or regional anaesthesia.



One hand manipulation
→ Reduced risk of contamination



Locking/unlocking of the needle cap by simply pushing the button
→ Ease of use
→ One hand manipulation



Non-slip base
→ Good stability on the surgery table



Product references

NEEDLE RECAPPER
2470


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

MINIJECT® & ERGOJECT® SYRINGES

Anaesthetic syringes

135°C

Syringes intended for dental care in the field of intraligamentary or intraceptal anaesthesia.




Increase in force by leverage
→ Efficiency and ease of use



Progressive mechanism ensuring regulated and slower injections
→ Precision of injection



Ref. **2400**



Straight or angulated tip
→ Adaptation to practice



Ref. **2300**

Product references

MINIJECT®	ERGOJECT®
2300	**2400**

See page 29 for **accessories.**

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

TECHNICAL DATA

AUTOMATIC IMPACTOR SAFE	
Total length (mm)	142
Handle length (mm)	124
Max handle diameter (mm)	20
Stem diameter (mm)	7
Weight (g)	195
Connection	Normalized mandrel (ISO 1797-1) Tri-lobe mandrel (owner connection Anthogyr)
	Rotation locking
Max torque transmissible with the medical device	With «trilobe» tools: 20 N.cm With standard ISO tools: 80 N.cm
Energy	Mechanic (choc)

MONT BLANC®RANGE FOR GENERAL PRACTICE						
References	**10000XL**	**10000X**	**10200XL**	**10200X**	**10300XL**	**10300X**
Rate of reduction / multiplication	1:5		1:1		5:1	
Colour code	Red		Blue		Green	
Weight (g)	67					
Light	Yes	No	Yes	No	Yes	No
Motor connection standard	ISO 3964					
Rotational instruments according to ISO 1797-1	Type3		Type1			
Ø (mm)	1.6		2.35			
Max length (mm)	25*		34*			
Max. Ø of the active part (mm)	2*		25*			
Rate of water spray (mL/min)	> 50		> 50			
Recommended water pressure (bar)	2					
Recommended air pressure (bar)	2					
Motor cooling air (mL/min)	1.5 - 10					

*All the values are indicative. For the choice of values, follow the advice of the burs manufacturers.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

TECHNICAL DATA

STRAIGHT HANDPIECE	
References	**4330D**
Rate of reduction / multiplication	1:1
Colour code	blue
Weight (g)	39
Motor connection standard	ISO 3964
Maximum speed for the motor (rpm)	40,000
Maximum torque for the instrument (N.cm)	6
Rotational instruments according to ISO 1797-1	Type 2
Ø (mm)	2:35
Max length (mm)	45*
Max. Ø of the active part (mm)	10*
Rate of water spray (mL/min)	> 50

	MICRO NITI					NITI CONTROL®	
References	**10608 10608MBP**	**10616 10616MBP**	**10632 10632MBP**	**10664 10664MBP**	**10628 10628MBP**	**10664MBP-DA**	**10628MBP-DA**
Ratio	8:1	16:1	32:1	64:1	128:1	64:1	128:1
Colour code	Green						
Light	No						
Motor connection standard	ISO 3964						
Maximum speed for the motor (rpm)	40,000						
Rotational instruments according to EN ISO 1797-1	Ø 2.35 mm						
Rotational instruments according to EN ISO 3630-1	Instruments for root canals						
MAX motor speed for 300 rpm tool	2,500 rpm*	5,000 rpm*	10,000 rpm*	20,000 rpm*	40,000 rpm*	20,000 rpm*	40,000 rpm*
MAX motor speed for 600 rpm tool	5,000 rpm*	10,000 rpm*	20,000 rpm*	40,000 rpm*	-	40,000 rpm*	-

*All the values are indicative. For the choice of values, follow the advice of the burs manufacturers.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

TECHNICAL DATA


SAFE RELAX®	
Motor connection standard	ISO 3964
Minimum speed for the motor (rpm)	5000 → 200 cuts/min
Maximum speed for the motor (rpm)	25000 → 1000 cuts/min
Instrument connections	Proprietary Anthogyr connection (see accessories)

FIBIO®	
Composition	Silica fibre of the alkaline/acid-resistant type with a longitudinal unidirectional shape reinforced with zirconium and embedded in a bisphenol A epoxy resin matrix. Fibres: 43 % Zirconium: 17 % Resin: 40 %
FIBIO® elasticity module	Axial: 42.5 GPa Transversal: 15 GPa

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

ACCESSORIES

FOR EXO SAFE AUTOMATIC IMPACTOR

References	Designations	Visuals
PERI001	Straight convex periotome thin blade - width 2.1 mm, thickness 1.25 mm	
PERI002	Straight convex periotome wide blade - width 2.6 mm, thickness 1 mm	
PERI003	Vertical angled convex periotome - width 2.1 mm, thickness 0.8 mm	
PERI004	Horizontal angled convex periotomes - width 2.1 mm, thickness 0.8 mm	
PERI005	Straight concave periotome thin blade - width 2 mm, thickness 1.2 mm	
PERI006	Straight concave periotome medium blade - width 3 mm, thickness 1 mm	
5932	Empty sterilization box	

FOR HAND PIECE

Reference	Name	Visual
4576	Spray clip	

FOR AMALGAM CARRIER

References	Designations	Visuals
1545-20F	Complete pushing mechanism with Ø 2.0 mm tip	
1545-25F	Complete pushing mechanism with Ø 2.5 mm tip	
1545-30F	Complete pushing mechanism with Ø 3.0 mm tip	

FOR ERGOJECT AND MINIJECT

References	Designations	Visuals
2390	Right tube	
2392	Angulated tube	
2429	Lot of 12 plastic protection tubes*	

CORKSCREW FOR SYRINGE

Reference	Name	Visual
3804F	Corkscrew	

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

ACCESSORIES

FOR CROWN AND BRIDGES REMOVERS		
References	Designations	Visuals
5932	Sterilization box for hooks and tip wires	
5928	Counter-bent hook: for crowns on posterior teeth	
5929	Flat striated hook: for crowns on anterior teeth	
5927	Simple hook: for crowns on premolars	
5925	Cutting hook: for bridges	
ATD080	Screw for tip wire	-
ATD082	Screwdriver for tip wire	
ATD012	Simple tip wire (1x length 50 mm + 1x length 60 mm)	
ATD014	Lot of 4 cables for tip wire (2x length 50 mm + 2x length 60 mm)	
ATD014-50	Lot of 4 cables of length 50 mm	-
ATD014-60	Lot of 4 cables of length 60 mm	
ATD014-95	Lot of 4 cables of length 95 mm	
ATD014-150	Lot of 4 cables of length 150 mm	
ATD022	Ceramic tip wire (1x length 95 mm + 1x length 150 mm + screw)	
ATD024	Lot of 4 cables for ceramic tip wire (2x length 95 mm + 2x length 150 mm)	
6940	Adaptor for crown extractor Ref. 1620 (round rod)	-
6949	Adapter for crown extractor Ref. 1820 (square rod)	-

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice



Towards new heights

Photos credits: Anthogyr - All rights reserved - Not contractual photos. C174_GB - 2017-02

PEFC 10-31-1561

ANTHOGYR SAS
2 237 avenue André Lasquin
74700 Sallanches - France
Phone: +33 (0)4 50 58 02 37
Fax: +33 (0)4 50 93 78 60
www.anthogyr.com

Anthogyr
PRIME MOVER IN IMPLANTOLOGY

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ