stomdevice

MEDICAL BAOLAI

Professionally design and manufacture

Ultrasonic scaler

www.baolaimedical.com
www.booool.com



MPT1 Painless periodontal treatment device

ALADDIN LED curing light

Ultrasonic scaler

Aluminum alloy handpiece

MEDICAL BAOLAI

7th Floor,General Building,Hetai Sci.&Tech.Park,No.9 Gaoxin 4th Rd.,Nanning,Guangxi,530007,China
TEL:0086-771-3815998
FAX:0086-771-3217883
E-Mail:info@booool.com

2019 1.0

stomdevice

MEDICAL BAOLAI

Nanning Baolai Medical Instrument Co.,Ltd is a modernized high tech enterprise specialized in researching, manufacturing and marketing dental piezo ultrasonic scaler. Having the most advanced technology, we aim to make the best ultrasonic scaler in China.

Besides 33 national patents, we have kept ISO13485, CE, American FDA and Bureau Vertitas certificates. We are the first one launching 'No cracking' aluminum alloy scaler handpiece and 'No consumables' auto-water supply scaler in the world, filling the gap of the industry and pushing forward the trend of MADE IN CHINA to CHINA IDEA!

Sticking to the enterprise spirit of LET'S MAKE THINGS BETTER, Baolai devotes itself in contributing more to CHINA IDEA!







Registration No.3008615394
510K No.K140233

CE 0197

Customers

BAOLAI's products have been sold to more than 100 countries




Corporate Culture

Best: on behalf of insisting on strategy of success through quality, pursuit of excellence and never stop.

Believable: on behalf of insisting on the principle of sincerity and good faith, and developing enterprise on basis of both.

Brilliant: on behalf of social commitment, people oriented, human and enterprise win-win.

Beautiful: on behalf of adhering to keep improving, superior to create, beauty in life.

stomdevice

Handpiece E Series

Compatible with EMS scalers

Model : L3



Aluminum alloy LED handpiece
No cracking! More comfortable!
Detachable handpiece can be autoclaved under the high temperature and pressure (135℃,0.22MPa)
Compact size,easier to hold and operate.
Compatible with BAOLAI and EMS scalers

CE 0197

No deformation
No yellowing
No cracking



Model:H1

Sealed handpiece
Automatic frequency tracking, works steadily.



Model: L1

Sealed LED handpiece
Automatic frequency tracking, works steadily.



Model:H2

Detachable handpiece can be autoclaved under the high temperature and pressure.
(135℃,0.22MPa)
Compatible with BAOLAI and EMS scalers

CE 0197



Model:H3

15 national patents
Aluminum alloy material.
Detachable handpiece can be autoclaved under the high temperature and pressure.
(135℃,0.22MPa)
Compatible with BAOLAI and EMS scalers
No deformation No yellowing No cracking

CE 0197

Handpiece S Series

Compatible with Satelec scalers

D2 Handpiece

Aluminum alloy material.
Detachable handpiece can be autoclaved under the high temperature and pressure.
(135℃,0.22MPa)
Compatible with BAOLAI and SATELEC scalers
No deformation No yellowing No cracking

CE 0197



Aluminum alloy handpiece

Made of aluminum alloy, it can undergo repeating autoclave and remain uncracked.
Aluminum alloy better disperses heat, protects the transducer and therefore extends use life.
Much more stable working frequency ensures patients' comfort.
Anti-skidding design, more comfortable handling, higher grade.



Model: HS1

Sealed handpiece
Automatic frequency tracking, works steadily.
Satelec tips can be used



Model: D1

Sealed LED handpiece
Automatic frequency tracking, works steadily.
Satelec tips can be used



Model: D3

15 national patents
Aluminum alloy LED handpiece
Detachable handpiece can be autoclaved under the high temperature and pressure.
(135℃,0.22MPa)
Satelec tips can be used
No deformation No yellowing No cracking

CE 0197



stomdevice

New!

MPT1 Painless Periodontal Treatment Device



Alloy LED handpiece for perio
Alloy LED handpiece for scaling
Double bottles

2pcs bottles **500ml/pc**
Switch liquid medicine and purified water anytime.

Touch-control panel
Handle it easily even by wearing gloves.

Φ90mm-power knob
More comfortable handling
by single finger or two fingers.

Φ15mm-digital water control switch
Controls water yield accurately every second.

54g/pc only- 2pcs aluminum alloy LED handpiece
Can be autoclaved.
No cracking.No yellowing.Disperses heat better.
Perio handpiece and scaling handpiece work independently.



TW4
Torque wrench



Titanium alloy tip Stainless steel tip











stomdevice

New!

1S CURING

ALADDIN

LED CURING LIGHT

- Aluminum alloy
- 360° rotatable lamp cap
- 1000mW/cm²-2400mW/cm²
- 1S 3S 5S 10S 15S 20S
- Mini LED
- Mini light shield
- Battery capacity 1400mAh
- Standby time>1 year

135℃

>1000 Times





98% **Blue light is filtered effectively.**





BCL-A

LED CURING LIGHT

connects to the dental unit.

- 360° rotatable lamp cap
- Aluminum alloy
- 1000mW/cm²-1800mW/cm²
- 3S 5S 10S 15S 20S
- Mini LED

135℃

Connects to the dental unit.

stomdevice

Pearl series P9L

Auto-water Supply Scaler

SCALING/ ENDO/ PERIO

Auto-water supply device;
Built-in power supply;
Detachable handpiece can be autoclaved under the high temperature and pressure.(135℃,0.22MPa)
Aluminum alloy LED handpiece;
Obtaining national patents;
Identifying scaler tip automatically;
PC control, automatic frequency tracking.

CE 0197







Compact,space saving:243x145x150(mm)

Waterway system without consumables,cost saving.

White light is optional



Detachable aluminum alloy LED handpiece.

Noiseless working

No Consumables!



Handpiece:H3



Handpiece:D2



Handpiece:D3

stomdevice



P5L

L3 handpiece
SCALING / PERIO





P5

H3 handpiece
SCALING / PERIO





BD2

D2 handpiece
SCALING / PERIO





P4

H2 handpiece
SCALING / PERIO





B5L

L1 handpiece
SCALING / PERIO





B5/B5S

H1 / HS1 handpiece
SCALING / PERIO





Conch series

Rate:30VDC
Frequency:28kHz±3kHz

ENDO function is optional



Coral series

Rate:30VDC
Frequency:28kHz±3kHz



P7L

L3 handpiece
SCALING / PERIO / ENDO





P7

H3 handpiece
SCALING / PERIO / ENDO





P6

H2 handpiece
SCALING / PERIO / ENDO





stomdevice

Rock series

Ultrasonic scaler

Touch screen

Satelec tips can be used on the series

Model: RP5

Auto-water supply system (optional)

Scaling/Perio/ Endo

Aluminum alloy LED handpiece

No cracking! More comfortable!

Detachable handpiece can be autoclaved under the high temperature and pressure.(135℃,0.22MPa)

Rate: 30VDC

Frequency:28kHz±3kHz







Model: RD1

Scaling /Perio

Sealed LED handpiece

Automatic frequency tracking, works steadily.

Rate: 30VDC

Frequency:28kHz±3kHz





Model: RD2

Scaling/Perio

Aluminum alloy handpiece

No cracking! More comfortable!

Detachable handpiece can be autoclaved under the high temperature and pressure.(135℃,0.22MPa)

Rate: 30VDC

Frequency:28kHz±3kHz





Model: RD3

Scaling/Perio

Aluminum alloy LED handpiece

No cracking! More comfortable!

Detachable handpiece can be autoclaved under the high temperature and pressure.(135℃,0.22MPa)

Rate: 30VDC

Frequency:28kHz±3kHz





Model: RP4

Scaling/Perio /Endo

Auto-water supply system(optional)

Aluminum alloy handpiece

No cracking! More comfortable!

Detachable handpiece can be autoclaved under the high temperature and pressure.(135℃,0.22MPa)

Rate: 30VDC

Frequency:28kHz±3kHz



X1

Auto- water supply system

Design patent.

Rate:5VDC

1000ml capacity.


Water pressure:18KPa-24KPa

It can be used for any ultrasonic scaler.



OEM &ODM Service













Baolai provides you excellent OEM&ODM services.



C series

Built-in scaler

Special design for dental unit

Rate:24VAC 50/60Hz
Frequency:28kHz±3kHz

Endo function is optional



Model:C7L
Handpiece:L3





Model:CD3
Handpiece:D3





Model:CD2
Handpiece:D2





Model:C5

Sealed handpiece
Automatic frequency tracking, works steadily.

Rate: 24VAC 50/60Hz
Frequency:28kHz±3kHz





Model:C5L

Sealed LED handpiece
Automatic frequency tracking, works steadily.

Rate: 24VAC 50/60Hz
Frequency:28kHz±3kHz





Model:C6

Detachable handpiece can be autoclaved under the high temperature and pressure. (135℃,0.22MPa)

Rate: 24VAC 50/60Hz
Frequency:28kHz±3kHz





Model:C7

Aluminum alloy handpiece
No cracking! More comfortable!
The best match for dental unit
Detachable handpiece can be autoclaved under the high temperature and pressure.(135℃,0.22MPa)

Rate: 24VAC 50/60Hz
Frequency:28kHz±3kHz



stomdevice

Scaler tip (T series)

CE 0197





T1
Length:28.9MM
N.W:0.9g

Removal of supragingival and interdental calculus.





T2
Length:28.6MM
N.W:0.9g

Removal of heavy calculus and stains in the supragingival area.





T3
Length:28.5MM
N.W:0.8g

Removal of supra and subgingival calculus.It provides easy access to interdental spaces and narrow pocket.





T4
Length:29.6MM
N.W:0.8g

Removal of supragingival and interdental calculus.





T5
Length:31.8MM
N.W:1.0g

Removal of calculcus between molter teeth.





T6
Length:30.2MM
N.W:0.8g



Removal of supragingival and interdental calculus.
This tip can be used in all quadrants and is very uesful for the removal of hard calculus.Especially between molar teeth.



T7
Length:30.5MM
N.W:0.9g



Removal of supragingival and interdental calculus.
This tip can be used in all quadrants and is very uesful for the removal of hard calculus.Especially between molar teeth.



T8
Length:31.8MM
N.W:0.9g



Removal of supra and subgingival calculus.It provides easy access to interdental spaces and narrow pocket.



T9
Length:32.5MM
N.W:1.0g



Removal of supra and subgingival calculus.It provides easy access to interdental spaces and narrow pocket.



E1
Length:21.2MM
N.W:1.0g

⚠E1 is compatible with BAOLAI, same as T series tips.



Non-cutting E1 instrument for effective cleaning and irrigation of the root canal system.

Please use Baolai's scaler tips for Baolai's scalers.

CE 0197

Compatible with:
BAOLAI, EMS, MECTRON
Scaling:T1. T2. T4. T5. T6. T7
Periodontics:T3. T8. T9
Endo:E1



CE 0197

Compatible with: SATELEC, NSK BAOLAI
Scaling:S1. S2. S4. S5. S6. S7
Periodontics:S3. S8. S9
Endo : ES1



Endo file

Stainless steel material,
More suitable for cleaning and irrigation of the root canal system.





stomdevice

Wrench

Torque Wrench

Model:TW3

Unique patent
Aluminum alloy material.
Magnet clamping structrue.
It could hold the tips for at least 3000 times!





Torque Wrench

Model:TW2

Plastic material
Magnet clamping structrue.
It can hold the tips
for a least 1500 times!



Wrench

Model:TW1



Endo Wrench

Model:EW1



33 MEDICAL BAOLAI

National patents

stomdevice

10TH ANNIVERSARY

MEDICAL BAOLAI

2009-2019

Thank you for your continued support for Baolai.

