stomdevice

BESTMAN

ISO 13485:2003 ISO 9001:2008 CE 0086



BESTMAN

BFW-1020

Blood and Infusion Warmer

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

BESTMAN

BFW-1020

Special environment TEMP, dropping detector, wireless transmission can connect the central monitoring station.
CE certification
High capacity warming efficiency: 0-9 L/h
Provide Wi-Fi connection, infusion flow speed test, room temperature detecting function.
Temperature intellectual controlling technology:
Warm the device quickly, warm the fluid automatically and control the temperature accurately in the predetermined temperature, safe and stable;
Color LCD (TFT) Display:
Real-time liquid temperature, set temperature, room temperature, dropping speed (10-300 drips/min),warming time, alarm indication, electricity on or off indication, liquid exist or not indication, wireless access indication;
Security feature: Low temperature alarm & high temperature alarm;
Infrared sensor technology: Audible & Visual alarm for finishing infusion;
Warming structure: dry-groove type, binocular tube warming, faster & better efficiency. Use normal infusion tube, no need special consumables.
WIFI or RS-232 port can connect with central monitor system.
Various alarm function to remind doctor or medical staffs: heating plate overheating alarm, Liquid temperature overheating alarm, no liquid alarm, no heating alarm; alarm light, alarm sound and alarm information indicator are on at the same time when alarm function turns on.
Triple protection: adopts intellectual microcomputer controlling technology can high precision
control temperature. Audible and visual alarm when high/low temperature and no liquid happen to remind the doctor







https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

BESTMAN

BFW-1020

Power supply: AC 220V±10% 50Hz±1Hz or 110V±10%
60Hz±1Hz

Power: ≤ 350W

Temperature range: 28℃-41℃ (Increasing by 0.1℃) ±
0.5℃

82℉-105.8℉ (Increasing by 0.2℉)±1℉

External dimension: 190mm x 260mm x 150mm

Waterproof and dustproof class: IP64

Safety classification： Type B/Class I

Electric shock protection class: I

Electric shock protection level： B

Fuse: (AC: 220V) 2 XT2AL 250V
(AC: 110V) 2 X T4A L125V

Working method: continuous operation

Environment:

Ø Working environment:

Temperature: +5℃～+30℃ (41℉～86℉)

Humidity: ≤80%

Atmosphere pressure: 86kPa ～ 106kPa

Ø Transportation environment:

Temperature: -10℃～+40℃ (14℉～104℉)





https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

BESTMAN

BFW-1020

Blood and Infusion Warmer

BESTMAN

BFW-1020



ISO 13485:2003 ISO 9001:2008 CE 0086



FDA CE0086



ISO9001 ISO13485

SHENZHEN BESTMAN INSTRUMENT CO.,LTD

www.szbestman.cn

Add: A/F YiFang Bldg No.315 Shuangming Ave,Dongzhou Community, Guangming St ,Guangming Dist., Shenzhen, Guangdong 518107, China

Tel: +86-755-26411423 Fax: +86-755-2649F167

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ