stomdevice

JEWELLERY LINE



carlo de giorgi

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

INDEX JEWELLERY LINE

DUST SUCTION BENCHES	25
FLEXIBLE SHAFTS	21-22
FURNACE	17
HAND-WASHING STANDS	26
HAND-PIECES WITH AMERICAN FOREDOM CONNECTION	24
HAND-PIECES	23
HANGING TYPE-MOTORS	
HANGING TYPE MOTORS	18-19-20
ACCESSORIES	20
LABORATORY MICROMOTORS	
LABORATORY MICROMOTORS	3
BRUSHLESS MICROMOTORS	4-5
PORTABLE MICROMOTORS WITH RECHARGEABLE BATTERY	5
ACCESSORIES	6
MAGNYFING LAMP	27
MICROTORCHES	16
POLISHING MACHINES	13-14
PORTABLE SUCTION UNIT	
PORTABLE SUCTION UNIT	8-9-10
ACCESSORIES	10
SAND BLASTING MACHINE	15
STEAM CLEANER	7
SUCTION BENCH	15
ULTRASONIC CLEANING MACHINE	11-12
UV POLYMERIZING	27
WELDING TORCHES	16
WORKING CHAIR	17
WORK STATION	7

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

LABORATORY MICROMOTORS



item: 436/00 - MICROMOTOR REHNE 119



Carbon brush micromotor. Heavy and durable. Ergonomic and compact design. High performance. High accuracy of rotation. Minimal noise and vibration.

Technical features

Power absorbed:	65 Watt
Feeding:	230 V - Hz 50/60
Speed:	1.000 - 35.000 rpm
Reverse:	5.000 rpm max
Torque max:	3,0 Ncm
Foot switch:	ON/OFF
Quick clamping fixing	
Hand piece weight:	200 g (without cable)
Control unit weight:	970 g
Standard size collet:	Ø 2,35 mm (Ø 3 mm upon request)

item: 437/00 - MICROMOTOR REHNE 119



Carbon brush micromotor. Heavy and durable. Ergonomic and compact design. High performance. High accuracy of rotation. Minimal noise and vibration.

Technical features

Power absorbed:	65 Watt
Feeding:	230 V - Hz 50/60
Speed:	1.000 - 35.000 rpm
Reverse:	5.000 rpm max
Torque max:	3,0 Ncm
Hand / Foot control	
Quick clamping fixing	
Hand piece weight:	200 g (without cable)
Control unit weight:	970 g
Standard size collet:	Ø 2,35 mm (Ø 3 mm upon request)

item: 441/00 - MICROMOTOR REHNE 317



Carbon brush micromotor. Heavy and durable. Ergonomic and compact design. High performance. High accuracy of rotation. Minimal noise and vibration.

Technical features

Power absorbed:	80 Watt
Feeding:	220-240 V - Hz 50/60
Speed:	1.000 - 45.000 rpm
Reverse:	5.000 rpm max
Torque max:	4,5 Ncm
Hand / Foot control	
Quick clamping fixing	
Hand piece weight:	200 g (without cable)
Control unit weight:	970 g
Standard size collet:	Ø 2,35 mm (Ø 3 mm upon request)

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

BRUSHLESS LABORATORY MICROMOTORS

item: 332/00 - PRIME 202



Brushless micromotor. Ergonomic and compact design. Strong Torque at low speed. Heavy and durable. Minimal noise and vibration. Ergonomic and safe grip. High performance. High accuracy of rotation. Self-diagnosis system.

Technical features:

Power absorbed:	80 Watt
Feeding:	220-240 V - Hz 50/60
Speed:	1.000 - 45.000 rpm
Torque max:	4,8 Ncm
Hand / Foot control	
Foot switch:	stepless speed regulation
Quick clamping fixing	
Hand piece weight:	220 g (without cable)
Control unit weight:	2,32 Kg
Standard size collet:	Ø 2,35 mm (Ø 3 mm upon request)

item: 333/00 - PRIME 115



Brushless micromotor. Ergonomic and compact design. Strong Torque at low speed. Minimal vibration. Ergonomic and safe grip. Self-diagnosis system.

Technical features:

Power absorbed:	210 Watt
Feeding:	230 V - Hz 50/60
Speed:	1.000 - 50.000 rpm
Torque max:	6,8 Ncm
Hand / Foot control	
Increased holding force of collets	
Quick clamping fixing	
Hand piece weight:	220 g (without cable)
Control unit weight:	2,32 Kg
Standard size collet:	Ø 2,35 mm (Ø 3 mm upon request)

item: 334/00 - PRIME 407



Brushless micromotor. Ergonomic and compact design. Strong Torque at low speed. Minimal vibration. Ergonomic and safe grip. Self-diagnosis system.

Technical features:

Power absorbed:	230 Watt
Feeding:	230 V - Hz 50/60
Speed:	1.000 - 50.000 rpm
Torque max:	7,8 Ncm
Hand / Foot control	
Increased holding force of collets	
Quick clamping fixing	
Hand piece weight:	220 g (without cable)
Control unit weight:	2,32 Kg
Standard size collet:	Ø 2,35 mm (Ø 3 mm upon request)

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

BRUSHLESS LABORATORY MICROMOTORS

item: 336/00 - PRIME 926



Brushless micromotor. Ergonomic and compact design. High power and speed. LCD Display. Strong Torque at low speed. Self-diagnosis system.

Technical features:

Power absorbed:	230 Watt
Feeding:	230 V - Hz 50/60
Speed:	1.000 - 60.000 rpm
Torque max:	9,8 Ncm
Hand / Foot control	
Increased holding force of collets	
Quick clamping fixing	
Hand piece weight:	220 g (without cable)
Control unit weight:	2,32 Kg
Standard size collet:	Ø 2,35 mm (Ø 3 mm upon request)

MICROMOTOR WITH E-TYPE CONNECTION

item: 438/00R - MICROMOTOR REHNE 119 E-TYPE



Carbon brush micromotor with E-Type connection. Designed to be connected to straight handpiece or contra-angles. Ergonomic and compact design. High performance. Minimal noise and vibration

Technical features

Power absorbed:	65 Watt
Feeding:	230 V - Hz 50/60
Speed:	1.000 - 35.000 rpm
Reverse:	5.000 rpm max
Torque max:	3,0 Ncm
Foot switch:	ON/OFF
Hand speed control	
Hand piece weight:	140 g (without cable)
Control unit weight:	1,1 Kg

PORTABLE MICROMOTORS WITH RECHARGEABLE BATTERY

item: 540/00 - PORTABLE MICROMOTOR THUMB+PEHB



Micromotor E-type connection, with rechargeable nichel-cadmio battery, power 100 Watt and 5 hours of charge lasting.

item: 541/00 - PORTABLE MICROMOTOR THUMB+POHP



Micromotor with handpiece, with rechargeable nichel-cadmio battery, power 100 Watt and 5 hours of charge lasting.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

ACCESSORIES MICROMOTORS

item: 537/04



Hand-piece Gold complete with 4 collets (0/1/2,35/3 mm). For micromotors model: Greenstar/3000.

item: 602/04



Industrial hand-piece complete with 4 collets (2,35/3/4/6 mm). For micromotors model: 5000.

item: 501/00



Hammering hand-piece complete with 2 tips. For micromotors model: Greenstar/3000.

item: 500/04



Spare hand-piece for micromotors model: 2900/5000.

item: 535/04



Spare hand-piece for micromotors model: Greenstar/3000.

item: 635/04



Spare hand-piece for micromotors model: Grey 6000.

item: 637/04



Spare hand-piece for micromotors model: Blue sky.

item: 001/R2



Collet Ø 2,35 mm.

item: 001/R6



Collet Ø 3,00 mm.

item: 500/09

Reduction bush for F.G. 1,6 mm Ø tools for 2,35 mm collets.

item: 500/10



Reduction bush for 2,35 mm Ø tools for 3,00 mm collets.

item: 500/11

Reduction bush for 1,00 mm Ø tools for 3,00 mm collets.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

STEAM CLEANER

item: 710/00 - CLEANER 150



3.5 bar-steam generator for the decontamination and cleaning of metals, models, etc. The boiler has a capacity of 5 litres and is completely made from robotized welded AINSI stainless steel. The latest model offers innovative solutions that guarantee years of reliable performance with minumum maintenance required. The steam gun is thermoinsulating and has four different nozzles. The steam ejection function is pedal-operated, against accidental electrocution caused by humidity. Constructed and tested in compliance with EC norms.

Technical features

Working pressure:	3,5 bar
Heater capacity:	5 lt
Sizes:	22x34x40 cm
Weight:	12 Kg

WORK STATION

item: 663/00 - MICROBOX



Cabinet for the milling and finishing of precious metals and for the treatment of hazardous volatile chemical compounds. A pull-out drawer collects residues of the precious alloys being used. The tube supplied with the unit enables to connect an Airbox GS or any other aspirator system. It is made of plexiglass and all joints are proof bonded.

Technical features

Dimensions:	32x30x25 cm
Weight:	3 Kg

item: 664/00 - LABO STATION



LABO STAT ION is a safety working place cabinet for finishing works with micromotors. It is equipped with several lateral entrances both on the left and on the right side, with neon light, fast–air–connector and power supply intake for the dust extraction unit Airbox (for simultaneous switch-on/off), wooden air-stock-intake, internal work-top recovered of wood and easily replaceable, a wide sized glass window, a drain trellis for the falling down of heavy powders and air syringe.

Technical features

Dimensions:	60x40x40 cm
Weight:	15 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

PORTABLE SUCTION UNITS

Labò 1.0



The Labò 1.0 is the entry level dust extractor , Small but powerful, it is developed to be the small dust extractor for dental lab , and remove working powders and abrasive residues connecting to sandblasting machines, milling machines, and all small dental equipment.
Thank to the EMC control the Labò 1.0 can be connected to: Sandblasters; Milling machines; Polishers; Micromotors. **Complete with:** 3-stage filtration system - Microfiber bag, M-class cartridge filter, and exhaust HEPA filter; EMC control: automatic startup and shutdown system; Adjusting the suction power from 25% to 100% at 25% steps; High efficiency engine.

item: 666/00 Labò 1.0 EC

item: 667/00 Labò 1.0 EC.MM

Technical features	EC	EC.MM
Motor:	900 W	900 W
Depression:	1.900 mm/H_2O	1.900 mm/H_2O
Noise level:	59 dBa max	59 dBa max
Automatic On-Off:	standard	standard
Power tool socket:	standard	max 250 W
Dimensions:	30x31x39 cm	30x31x39 cm
Weight:	13 Kg	13 Kg

Labò 2.0



The Labò 2.0 dust collector is built to be the standard aspiration device in dental and jewelery laboratories. Powerful and compact, it can be used to suction powders and residues during processing, by connecting directly to the dental equipment you are using. Labò 2.0 is designed for the installation under the work bench and for connection to the most popular device thanks to the EMC control. The Labò 2.0 can be connected to: Sandblasters; Milling machines; Polishers; Micromotors. Labò 2.0 is designed for the installation under the work bench and for connection to the most popular device thanks to the EMC control. **Complete with:** 3-stage filtration system - Microfiber bag, M-class cartridge filter, and exhaust HEPA filter; EMC control : automatic startup and shutdown system; High efficiency engine.

item: 668/00 Labò 2.0 EC

item: 669/00 Labò 2.0 EC.MM

Technical features	EC	EC.MM
Motor:	900 W	900 W
Depression:	1.900 mm/H_2O	1.900 mm/H_2O
Noise level:	59 dBa max	59 dBa max
Automatic On-Off:	standard	standard
Power tool socket:	standard	max 250 W
Dimensions:	24x31x48 cm	24x31x48 cm
Weight:	15 Kg	15 Kg

Labò 3.0



Labò 3.0 is the fully digital lab dust collector . Powerful performance thanks to high-efficiency motor and triple filtering system and automatic filter cleaning. Is available in bag or bagless version. Thank to the EMC control the Labò 3.0 can be connected to: Sandblasters; Milling machines; Polishers; Micromotors. Complete with: 3-stage filtration system - Microfiber bag, M-class cartridge filter, and exhaust HEPA filter; EMC control: automatic startup and shutdown system; High efficiency engine; Adjusting the suction power, from 25% to 100% at 25% steps; Manual or automatic cleaning filter; High efficiency motor; Keyboard interface display

item: 671/00 Labò 3.0 DS

item: 672/00 Labò 3.0 DS.MM

Tecnical features	DS	DS.MM
Motor:	900 W	900 W
Depression:	1.900 mm/H_2O	1.900 mm/H_2O
Noise level:	59 dBa max	59 dBa max
On-Off Automatic:	standard	standard
Power tool socket:	standard	max 250 W
Dimensions:	24x31x48 cm	24x31x48 cm
Weight:	15 Kg	15 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

PORTABLE SUCTION UNITS



item: 657/00 - AIR BOX



Portable suction unit for the extraction of dust, residues and abrasives. It can be used in conjunction of Micro-sandblasting systems, as well as and virtually with any lab bench. Its (optional) Airstock all-purpose air intaket turns any table into a working bench. Professional and extremely noiseless. It has an adjustable suction force and it is equipped with 4 filters made of BIA-compliant microfabric. AIR BOX has passed the German TUV-GS quality test and its dust-abatement rate is up to 99,9% (SGS Ecologia Tests).

Technical features

Feeding:	220-230 V
Power absorption:	900 Watt
Insulation class:	I
Type of unit:	B
Mode of use:	continuous
Frequency:	50/60 Hz
Noise:	60/67 dB
Dimensions:	33x25x38 cm
Air capacity:	39 L/S (max)
Weight:	12 Kg

item: 657/20

Spare filters (packaging 4 pieces)

item: 659/00 - AIR BOX SIMPLEX



AIRBOX SIMPLEX is a portable suction unit suitable in goldsmith laboratories for the suction of working powders. Its main characteristic is the noiseless and the adjustable suction force.

Technical features

Feeding:	220-230 V
Power absorption:	800 Watt
Insulation class:	I
Type of unit:	B
Mode of use:	continuous
Frequency:	50/60 Hz
Noise:	68 dB
Dimensions:	38x29x40 cm
Air capacity:	39 L/S (max)
Weight:	12 Kg

item: 659/20

Spare filters (packaging 4 pieces)

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

PORTABLE SUCTION UNITS

item: 661/00 - MINI BOX EMC



Portable dust extractor, specifically designed for the finishing at the bench of metals. The equipped EMC (Electronic Micromotor Control), enables both switch on and off automatically and simultaneously with the micromotor. The suction power can be adjusted and the change of the filters is simple and quick.
The competitive price and the versatility of this device allow to modify every bench into a modern finishing area.
Ready to use with AIRBASE and AIRSTOCK (optional).

Technical features

Feeding:	220 V
Max absorbed power:	300/600 Watt
Insulation class:	I
Type of unit:	B
Mode of use:	intermittence
Frequency:	50/60 Hz
Noise:	80 dB
Dimensions:	28x22x26 cm
Air capacity:	20 L/S (max)
Weight:	6 Kg



item: 661/20

Spare filters (packaging 4 pieces)

ACCESSORIES FOR PORTABLE SUCTION UNITS



item: 658/00 - SUCKY AIRSTOCK

Universal air intake with both left and right connections to be placed on tables or benches for aspiration system. It is supplied with a replaceable wooden base, a plexiglass protection shiled for eyes and face, system with both screws and removable clamp for its fixing.
Suitable to be used with both Airbox GS and Minibox EMC.



item: 662/00B - AIRBASE LOC-ONE

Articulated aspiration arm with memory of the position.
It is made of a special tube that allows both tightening up to its blocking and flexibility without keeping its position, easily by screwing in or off its coils by hands. Airbase is supplied with a rubber intake and metal base. Can be placed both on a working bench or on the wall right behind the bench, by bi-adhesive tape or screws.
Suitable to be used both with Airbox GS and Minibox EMC.

item: 662/00M - AIRBASE LOC-ONE CLAMP TYPE

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

ULTRASONIC WASHING MACHINE



item: 711/00 - CP 104 STD ULTRASONIC WASH MACHINE



ULTRASONIC WASH MACHINE with digital display:

- Washing time adjustment: from 2 to 30 min 6 levels.
- Power regulation from 50% al 99%.
- Good washing results, indipendently from working conditions
- Automatic turning off of the heating, in case of water's leakage.
- Water heating.

Technical features

Feeding:	115/230 V - 50/60 Hz
Max absorbed power:	300 Watt
Generator power:	200W/100W
Heating power:	200 Watt
Capacity:	4 lt
Frequency:	39 KHz
Bath dimensions:	13,5x23,5x15 cm
Outside dimensions:	32x22x28 cm
Weight:	4 Kg



item: 007/R8 Beaker and beaker holder

item: 9771 Beaker in Pirex 600ml

item: 28C Cleasing liquid

item: DB 4820 - ULTRASONIC WASH MACHINE



ULTRASONIC WASH MACHINE with digital display:

- Lengthened tank.
- Radiator fan.
- Stronger transducer.
- Wet-proof PCB.
- 5 cycles digital timer.
- Three separable wires.
- Heather.
- Industry IC.
- Circuit protector.
- Strong plastic housing.

Technical features

Generator power:	160 W
Capacity:	2,5 lt
Frequency:	42 KHz
Outside dimensions:	35x26x23 cm
Weight:	3 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

ULTRASONIC WASHING MACHINE

item: DB 4830 - ULTRASONIC WASH MACHINE



ULTRASONIC WASH MACHINE with digital display:

- 3 color LED display.
- Advanced programming.
- Drainage valve.
- Increased tank capacity and opening size.
- Ceramic heather.
- Cooling fan.
- Industrial IC.

Technical features

Power:	150 W
Capacity:	3 lt
Tank size:	25x17x8 cm
Digital timer:	1 to 30 minutes full range time
Ultrasonic frequency:	36 KHz
Outside dimensions:	38,5x23,4x19,3 cm
Weight:	3,6 Kg

item: DB 4860 - ULTRASONIC WASH MACHINE



ULTRASONIC WASH MACHINE with digital display:

- Large tank capacity and opening size.
- Drainage valve.
- Two industrial grade ultrasonic transducers.
- Two ceramic heaters.
- 2-color LED display.
- Independent control circuit for each ultrasonic transducer.
- Multiple circuit protectors.
- Cooling fan.
- Moisture-proofed PCB.
- Degas feature.
- Industrial IC.
- Housing made from engineering resin.

Technical features

Power:	290 W
Capacity:	6 lt
Tank size:	33.1x23.8x10.5 cm
Digital timer:	1 to 30 minutes full range time
Ultrasonic frequency:	35 KHz
Outside dimensions:	43,8x30x25 cm
Weight:	9,3 Kg

item: DB 4862 - ULTRASONIC WASH MACHINE



ULTRASONIC WASH MACHINE with digital display:

- Large tank capacity.
- Suspendible basket.
- Control panel with capacitive sensing technology.
- Drainage valve.
- Tow industrial grade ultrasonic transducers.
- Tow ceramic heaters.
- 3 color LED display.
- Multiple circuit protectors.
- two cooling fan.
- De-gas feature.

Technical features

Power:	260 W
Capacity:	6 lt
Tank size:	32,3x20,5x9,9 cm
Outside dimensions:	51,5x37x32,5 cm
Weight:	8,6 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

POLISHING MACHINES



item: 320/00 - MAP-1



Polishing machine for continuos duty Map-1 one speed (2.800 rpm), 500 Watt.

Technical features

Speed:	2.800 rpm
Power:	500 Watt
Dimensions:	52x12x23,5 cm
Weight:	10 Kg

item: 330/00 - MAP-2



Polishing machine for continuos duty Map-2 two speed (1.400/2.800 rpm), 500 Watt.

Technical features

Speed:	1.400/2.800 rpm
Power:	500 Watt
Dimensions:	52x12x23,5 cm
Weight:	10,5 Kg

item: 321/00 - LUX-1



Polishing machine for intermittent duty LUX-1 one speed (2.800 rpm) 300 Watt.

Technical features

Speed:	2.800 g/m
Power:	300 Watt
Dimensions:	45x13x21 cm
Weight:	6 Kg

item: 322/00 - LUX-2



Polishing machine for intermittent duty LUX-2 two speed (1.400/2.800 rpm), 300 Watt.

Technical features

Speed:	1.400/2.800 rpm
Power:	300 Watt
Dimensions:	45x13x21 cm
Weight:	6,4 Kg

item: 323/00 - LUX-1 DX



Polishing machine for intermittent duty single right-shaft LUX-1 DX one speed (2.800 rpm) 300 Watt.

Technical features

Speed:	2.800 rpm
Power:	300 Watt
Dimensions:	28x14x21 cm
Weight:	6 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

POLISHING MACHINES

item: 324/00 - LUX-1 SX



Polishing machine for intermittent duty single left-shaft LUX-1 SX one speed (2.800 rpm) 300 Watt.

Technical features

Speed:	2.800 rpm
Power:	300 Watt
Dimensions:	28x14x21 cm
Weight:	6 Kg

item: 325/00 - LUX-FLEX



Polishing machine for intermittent duty Lux-Flex one speed (2.800 rpm), 300 Watt.

Technical features

Speed:	2.800 rpm
Power:	300 Watt
Dimensions:	28x14x21 cm
Weight:	6 Kg

item: 326/00 - LUX-OR



Polishing machine for intermittent duty, for watchmaking (1 speed). Complete with grinding-wheel and flexible shaft connection.
300 W - 2.800 rpm.

Technical features

Speed:	2.800 g/m
Power:	300 Watt
Dimensions:	28x14x21 cm
Weight:	6 Kg

item: 34C



Plastic splash guard for polishing machines.

Technical features

Dimensions:	27x22x25 cm
Weight:	400 g

item: 34CMET



Metal splash guard for polishing machines.

Technical features

Dimensions:	27x22x25 cm
Weight:	2 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

SAND BLASTING MACHINE

item: 656/00 - SANDY 2



Double-container micro-sandblasting system. Exceptional functionality and unbeatable value for money. Make it works a prerequisite for all labs with up to three people. It can with 25 to 250 micron abrasives. Prefitted for connection to an aspirator (AIRBOX) complete with three nozzles: 0,8 - 1,2 and 1,5 mm

Main features:

- 2 aluminium containers.
- Anti-moisture system.
- Use abrasive 25/250 microns.
- Precise sandblasting.
- Reliable construction.
- Small dimensions.
- Ready for AIRBOX.
- Low price.

Technical features

Dimensions:	35x37x32 cm
Weight:	12 Kg

item: 656/01 - Aluminium oxide 50 microns, pack. 5 Kg

item: 656/02 - Aluminium oxide 100 microns, pack. 5 Kg

item: 656/03 - Aluminium oxide 200 microns, pack. 5 Kg

item: 656/04 - Crystal microspheres 90/150, pack. 5 Kg

SUCTION BENCHES

item: 355/00 - BOX

Universal suction unit for laboratories polishing machine. Necessary for polishing and buffing works. Essential and compact design, is equipped with a new suction system for the best performances. The lighting is supplied with a neon lamp of the power of 18 Watt.



item: 350/00 - SENIOR

Senior model incorporating polishing machine, suitable for small laboratories. Made from electric-welded steel sheet, rustproof painting and textured enamel finishing. Suction hood with 6 watt neon light, 0,5 Hp aspirator with 120 cubic meters/hour suction power, filter from raised fabric for the finest dusts, dust recovery drawer, the right-hand side of hood can be opened to allow the working of large pieces.



Technical features	BOX	SENIOR
Noisy:	78 dB	78 dB
Suction power:	250 Watt	400 Watt
Suction capacity:	600 Mc/h	800 Mc/h
Polishing power:	/	400 Watt
Polishing speed:	/	2.800 rpm
Feeding:	230 V - 50/60 Hz	230 V - 50/60 Hz
Dimensions:	80x56x40 cm	55x23x33 cm
Weight:	34 Kg	19 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

MICROTORCHES

item: 219/00 - MICROTORCH GT-3000S



Technical features

Lighting:	piezoelectric
Gas lasting:	20-25 minutes
Flame temperature:	1300° C
Type of gas:	butane/ propane
Weight:	250 gr

item: 229/00 - MICROTORCH PT-4000



Technical features

Lighting:	piezoelectric
Gas lasting:	10-15 minutes
Flame temperature:	1300° C
Type of gas:	butane /propane
Weight:	100 gr

item: 219/01 - GAS REFILLING



Spare gas refilling for Micro-torches GT 3000S and PT 4000.

WELDING TORCHES

item: 420/00 - WELDING TORCHES

With compressed air + propane gas or natural, complet with three nozzles; 1300 °C.



item: 440/00 - WELDING MICRO TORCHES

Oxygen + propane or natural gas, complete with 4 nozzles; 1300 °C.



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

FURNACE EASY GOLD



Compact furnace for goldsmith laboratory, ideal for meelting precious metal (gold and silver). Compact dimensions, equipped with thermal insulation ,made of ceramic fiber, to obtain a rapid heating, thermoregulator with digital display and thermocouple for electronic control of temperature (actual value and set value).



item: 901/00 - GD EASY GOLD - 2 Kg
item: 902/00 - GD EASY GOLD - 1 Kg
item: 903/00 - GD EASY GOLD - 3 Kg
item: 904/00 - GD EASY GOLD - 5 Kg

Technical features	901/00	902/00	903/00	904/00
Adjustable temperature:	1100°C	1100°C	1100°C	1100°C
Temperature control:	digital	digital	digital	digital
Thermocouple:	type K	type K	type K	type K
Power:	1150 Watt	750 Watt	1400 Watt	1700 Watt
Heating time empty:	25 min.	25 min.	25 min.	25 min.
Kantal resistance:	yes	yes	yes	yes
Dimensions cm:	27 x 34 x 42	23 x 24 x 34	27 x 24 x 44	23 x 25 x 40
Weight:	11 Kg	6 Kg	12 Kg	13 Kg

Spare crucible
item: 902/20 - Crucible graphite 0,50 Kg
item: 902/21 - Crucible graphite 1,00 Kg
item: 901/20 - Crucible graphite 2,00 Kg
item: 903/20 - Crucible graphite 3,00 Kg
item: 904/20 - Crucible graphite 5,00 Kg
item: 902/23 - Spray boron nitride 450 ml

WORKING CHAIR

item: 594/00 - WORKING CHAIR



Working chair with:
- Base made up of reinforced nylon with fiber glass.
- Double pirouetting wheels.
- Seat and back of multilayers beech.
- Rotation and raising by gas movement.
- Articulated back adjustable.
- Certified Catas in conformity with European Regulations UNI/8587/84,UNI/8585/84, 9089/87, 8582/84;
- Weight: 7,8 Kg.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

HANGING TYPE MOTORS SERIES F 80 NEW - FV 80 PLUS (FOR GOLDSMITH)



item: 233/00 - F80 NEW

Hanging motor ideal for goldsmith or light workings; 110 W; 8000 rpm.

item: 234/00 - F80 NEW KIT

F80 New motor complete with electronic rheostat (item 358/00V), flexible shaft and handpiece with four collets: 0/1/2,35/3 mm (item 150/00).

item: 235/00 - F80 NEW KIT

F80 New motor complete with electronic rheostat (item 358/00V), flexible shaft and handpiece with four collets: 0/1/2,35/3 mm (item 151/00).

item: 240/00 - FV80 PLUS

Hanging motor ideal for goldsmith working, upgraded; 130 W; 10.000 rpm.

item: 241/00 - FV80 PLUS KIT

FV80 Plus motor complete with electronic rheostat (item 358/00V) and flexible shaft (item 110/00).

item: 242/00 - FV80 PLUS KIT

FV80 Plus motor complete with electronic rheostat (item 358/00V) and flexible shaft (item 111/00).

HANGING TYPE MOTORS SERIES M.I. (FOR INDUSTRY)



item: 280/00 - M.I. 12

Industrial motor 150 W – 12.000 rpm with 1 cable.

item: 281/00 - M.I. 12 KIT

M.I. 12 motor complete with electronic rheostat (item 358/00V), flexible shaft and handpiece with four collets: 2,35/3/4/6 mm (item 174/00).

item: 290/00 - M.I. 20

Industrial for tool maker 180 W – 20.000 rpm with 1 cable.

item: 291/00 - M.I. 20 KIT

M.I. 20 motor complete with electronic rheostat (item 358/00), flexible shaft and handpiece with four collets: 2,35/3/4/6 mm (item 174/00).

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

HANGING TYPE MOTORS SERIES M.O.





item: 250/00 - M.O. 15

High speed motor, for goldsmith laboratory; 150 W; 15.000 rpm; with 1 cable.

item: 251/00 - M.O. 15 KIT

M.O. 15 motor complete with electronic rheostat (item 358/00) and flexible shaft (item 120/00).

item: 252/00 - M.O. 15 KIT

M.O. 15 motor complete with electronic rheostat (item 358/00) and flexible shaft (item 121/00).

item: 260/00 - M.O. 18

High speed motor, 180 W; 18.000 rpm; with 1 cable.

item: 261/00 - M.O. 18 KIT

M.O. 18 motor complete with electronic rheostat (item 358/00) and flexible shaft (item 120/00).

item: 262/00 - M.O. 18 KIT

M.O. 18 motor complete with electronic rheostat (item 358/00) and flexible shaft (item 121/00).

item: 270/00 - M.O. 25

High speed motor, 180 W; 25.000 rpm; with 1 cable.

item: 271/00 - M.O. 25 KIT

M.O. 25 motor complete with electronic rheostat (item 358/00) and flexible shaft (item 130/00).

item: 272/00 KIT

M.O. 25 motor complete with electronic rheostat (item 358/00) and flexible shaft (item 131/00).

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

HANGING TYPE MOTORS SERIES M.I. (FOR INDUSTRY)



item: 275/00 - M.O. 25

High speed motor complete with Faro gear type connection; 180W; 25.000 rpm

item: 276/00 - M.O. 25 KIT

M.O. 25 motor complete with electronic rheostat (item 358/00) and flexible shaft gear type (item 136/00).

MOTORS ACCESSORIES

item: 358/00V

Footprint electronic rheostat with double cable for series F80 NEW and FV80 PLUS motor.

item: 358/00

Footprint electronic rheostat with double cable.



item: 358/28

Protection for electronic rheostat.

item: 380/00

Bench type support, screw fixing.



item: 390/00

Bench type support, clamp fixing.



item: 371/00



Hand speed regulator for hanging motor.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

FLEXIBLE SHAFTS WITH BEARINGS



MARELLI CONNECTION





item: 110/00 - TML PLASTIC

TML light duty type (4 mm core) with plastic sheathing and Marelli connection.

item: 111/00 - TML METAL

TML light duty type (4 mm core) with metallic sheathing and Marelli connection.

item: 120/00 - S-TML PLASTIC

S-TML heavy duty type (4 mm strengt. core) with plastic sheathing and Marelli connection.



item: 121/00 - S-TML METAL

S-TML heavy duty type (4 mm strengt. core) with metal sheathing and Marelli connection.

item: 130/00 - TML-52 PLASTIC

TML-52 heavy duty type (5 mm strengt. core) with plastic sheathing and Marelli connection.

item: 131/00 - TML-52 METAL

TML-52 heavy duty type (5 mm strengt. core) with metallic sheathing and Marelli connection.

CASALI CONNECTION





item: 132/00 - TML-52 CASALI PLASTIC

TML-52 (5 mm strengthened core) with plastic sheathing and Casali connection.

item: 133/00 - TML-52 CASALI METAL

TML-52 (5 mm strengthened core) with metallic sheathing and Casali connection.

FARO CONNECTION





item: 136/00 - TML-52 FARO METAL

TML-52 (5 mm strengthened core) with metallic sheathing and Faro gear-type connection.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

FLEXIBLE SHAFTS WITH HAND-PIECES

MARELLI CONNECTION





item: 150/00 - TML-O PLASTIC

Flexible shaft TML-O light duty type, for goldsmith, with built-in hand-piece, 4 collets (mm 0/1/2,35/3) with plastic sheathing and Marelli connection.

item: 151/00 - TML-O METAL

Flexible shaft TML-O light duty type, for goldsmith, with built-in hand-piece, 4 collets (mm 0/1/2,35/3) with metal sheathing and Marelli connection.

item: 152/00 - S/TML-O PLASTIC

Flexible shaft S-TML-O heavy duty type, for goldsmith, with built-in hand-piece, 4 collets (mm 0/1/2,35/3) with plastic sheathing and Marelli connection.

item: 153/00 - S/TML-O METAL

Flexible shaft S-TML-O heavy duty type, for goldsmith, with built-in hand-piece, 4 collets (mm 0/1/2,35/3) with metal sheathing and Marelli connection.

item: 003/R7 - Spare handpiece

item: 47F - Foot switch

item: 33B - Collet ø 0 mm

item: 34B - Collet ø 1,00 mm

item: 57D - Collet ø 1,50 mm

item: 58D - Collet ø 2,00 mm

item: 35B - Collet ø 2,35 mm

item: 32B - Collet ø 3,00 mm



item: 170/00 - I/TML-52 PLASTIC

Flexible shaft I-TML-52 with built-in hand-piece, four collets (mm 2,35-3-4-6) for M.O. series motors with plastic sheathing.

item: 171/00 - I/TML-52 METAL

Flexible shaft I-TML-52 with built-in hand-piece, four collets (mm 2,35-3-4-6) for M.O. series motors with metallic sheathing.

INDUSTRIAL CONNECTION





item: 174/00 - I/TML-52 M.I. METAL

Flexible shaft I-TML-52 with built-in hand-piece, four collets (mm 2,35-3-4-6) for M.I. series industrial motors with metallic sheathing.

item: 30B - Collet ø 2,35 mm

item: 29B - Collet ø 3,00 mm

item: 28B - Collet ø 4,00 mm

item: 23B - Collet ø 6,00 mm

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

HAND-PIECES



item: 140/00



Bayonet-joint hand-piece complete with four collets (mm 0/1/2,35/3).

item: 141/00 - SILVER



High precision hand-piece with bayonet joint with 2,35 mm collet.

item: 141/23 - Collet ø 1,00 mm

item: 141/22 - Collet ø 2,35 mm

item: 141/24 - Collet ø 3,00 mm

item: 180/00 - T30



Laboratory hand-piece complete with 2,35 mm collet.

item: 001/R2 - Collet ø 2,35 mm

item: 181/00 - T30



Laboratory hand-piece complete with 3 mm collet.

item: 001/R6 - Collet ø 3,00 mm

item: 160/00



Bayonet-joint industrial hand piece complete with four collets: 2,35/3/4/6 mm.

item: 165/00



Bayonet-joint industrial hand-piece with 0 to 4 mm spindle.

item: 190/00



Hammering hand-piece bayonet-joint type complete with 2 points.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

HAND-PIECES WITH AMERICAN FOREDOM CONNECTION

item: 142/00



Bayonet-joint hand-piece complete with four collets (mm 0/1/2,35/3) and American Foredom connection.

item: 143/00



Bayonet-joint hand-piece complete with four collets (mm 0/1/2,35/3) and American Foredom connection with duplex spring connection.

item: 161/00



Bayonet-joint industrial hand piece complete with four collets (2,35/3/4/6 mm) and American Foredom connection.

item: 162/00



Bayonet-joint industrial hand piece complete with four collets (2,35/3/4/6 mm) and American Foredom connection with duplex spring connection.

item: 167/00



Bayonet-joint industrial hand-piece with 0 to 4 spindle and American Foredom connection.

item: 168/00



Bayonet-joint industrial hand-piece with 0 to 4 spindle and American Foredom connection with duplex spring connection.

item: 182/00



Laboratory hand-piece complete with 2,35 mm and American Foredom connection.

item: 183/00



Laboratory hand-piece complete with 2,35 mm and American Foredom connection with duplex spring connection.

item: 191/00



Hammering hand-piece with American Foredom connection.

item: 192/00



Hammering hand-piece with American Foredom connection with duplex spring connection.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

DUST SUCTION BENCHES



Suction bench, made up of electric welded steel sheet, rustproof painting and textured enamel finishing. Suction hood with 6 Watt neon light 0,13 Hp. aspirator with 140 cubic/meters per hoursuction power cartridge type filter from raised cotton, replaceable or recyclable various times throught washing. Dust recovery drawer, base located three drawers for various tools storing.

item: 352/00 - DUST SUCTION BENCHES - BEB-1





item: 354/00 - DUST SUCTION BENCHES - BA-2

Technical features	BEB-1	BA-2
Feeding:	230 V 50/60 Hz	230 V 50/60 Hz
Power:	0,20 Hp	0,20 Hp
Aspirator power:	800 m³/h	800 m³/h
Dimensions L x P x H:	80x50x85 cm	131x58x85 cm
Weight:	40 Kg	75 Kg

DUST SUCTION BENCHES MINI TYPE

item: 351/00 - DUST SUCTION BENCHES MINI TYPE



Suction bench MINI, with dust recovery, complete with LED lighting, TNT filter, TCA active carbon filter for welding and processing wax fumes. Ideal for polishing machine or micromotor.

Technical features	
Feeding:	220-240 V 50/60 Hz
Power:	300 W
Aspirator power:	300 m³/h
Dimensions L x P x H:	25x40x38 cm
Weight:	10 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

HAND-WASHING STANDS

Hand washing stand, made of stainless steel, tub with dual compartment, complete with TNT filter and 5" external cartridge.

item: 805/00 - LAV-1

item: 805/00P - LAV-1 with pump



Technical features	805/00	805/00P
Feeding:		230 V 50 Hz - Hp 0,4 - Kw 0,3
Dimensions L x P x H:	45x45x100 cm	57x51x104 cm
Weight:	36 Kg	40 Kg



Hand washing stand, made of stainless steel, tub with triple compartment, complete with TNT filter and 10" external cartridge.

item: 800/00 - LAV-2

item: 800/00P - LAV-2 with pump

Technical features	800/00	800/00P
Feeding:		230 V 50 Hz - Hp 0,4 - Kw 0,3
Dimensions L x P x H:	70x50x105 cm	106x51x104 cm
Weight:	70 Kg	75 Kg

item: 801/00 - FILTERING BOX

Filtering box complete with TNT filter, 10" external cartridge, stainless steel tub with dual compartment.



Technical features	
Feeding:	230 V 50 Hz - Hp 0,4 - Kw 0,3
Dimensions L x P x H:	53x42x42 cm
Weight:	16,50 Kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

MAGNIFYING LAMP





item: 790/00 - MAGNIFYNG LAMP LC300/C

Magnifying lamp with cover with central lens 3 diopter and with one 26 W cold fluorescent light. It's supplied with desktop clamp (L003).

Technical features:

Voltage:	230 V - Hz 50/60
Light source:	1 x 26 Watt
Lens material:	glass
Lens size:	155 mm x 185 mm
Diopter:	3
Weight with desktop clamp L003:	5 Kg

item: LAMP090

LED lamp with magnifying lens 3 an 5 diopters (central). Energy-saving fluorescent light 26 Watt. Complete with table clamp.



item: LAMP089

Table lamp with LED light.

UV POLYMERIZING

item: 795/00 - POLYMERIZING UV FP36



UV polymerizing equipment for resin and photosensitive materials.
It's made in stainless steel and it includes:

- 1 sliding drawer that can contain 3 models.
- 4 bulbs 9 W each one.
- 1 Timer 120-180 sec.
- 1 switch for endless time.

item: 795/20

Replacement kit 4 bulbs 9 Watt.

item: 689/00 - POLYMERIZING UV



UV polymerizing equipment for resin and photosensitive materials.
4 bulbs 9 W each one (36 Watt).

item: 689/20

Replacement kit 4 bulbs 9 Watt.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

GENERAL SALE CONDITIONS

1) PURCHASE ORDERS: all purchase orders are regulated by the present general sale conditions; orders are irrevocable and exclusively accepted writtenly by fax, e-mail or letter.

2) PRICES: prices are EX OUR FACTORY; delivery costs will be calculated upon request by air, sea or truck service.

3) PAYMENT CONDITIONS: payments will be done before of the goods' delivery in advance upon receipt of our proforma invoice; we accept payments by wire transfer or by irrevocable letter of credit.

4) DELIVERY TIME: the estimated delivery time, will be communicated upon request on the order's confirmation or on the proforma invoice; the delivery time is reliable but it could also be delayed by the sellers in case of unexpected retards in the production.

5) FINAL INSPECTION: all equipments are supplied after final inspection.

6) WARRANTY: De Giorgi gives a warranty period of 12 months.

7) DISPUTE: for each dispute, technical or administrative, the competent law-court will be Milan (Italy) law-court.

8) VALIDITY: the catalogue is part of the basic contract between Carlo De Giorgi and buyers, although Carlo De Giorgi has, each time the right to modify the illustrated products in order to better the quality and the functions, without any written communication. The present price list, automatically replaces the previous one.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ