stomdevice

DALAUDE
Digitization

Intra Oral Camera

DALAUDE

Foshan DADE Medical Technology CO.,LTD
F4 -T5A, Block 2, No 117Zhangcha Road, Changcheng Foshan, Guangdong
T:+86-(0)757-82505217 F:+86-(0)757-82505297
E:admin@dalaudechina.com www.dalaudechina.com

Foshan DADE Medical Technology CO.,LTD

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice



COMPANY PROFILE

Foshan Dade Medical Technology Co., Ltd. was established in 2017, mainly engaged in medical optical instruments.and intra oral camera. The company is located in Foshan South China Life Science Park. The company has a strong R & D capacity, advanced production technology, and internationally recognized product quality.

Dade medical is based on integrity. Product quality is the enterprise life, adhere to the combination of international leading technology and China's advanced manufacturing technology. And we strive to become your most trustworthy partner.

CERTIFICATES








DALAUDE MEDICAL

Committed to the development and production of medical optical instruments and intra oral camera.









High Quality
Professional Service
Trustworthy


DALAUDE

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice


Overviews

Location

Workshop

3000m ^{3} R&D and Production Workshop





Events

Dental Exhibitions and Customers Visiting







Contents

Digitization

03-14 Intra Oral Camera




15-16 Intra Oral Camera-Touchscreen Computer



17-18 Intra Oral Camera-Portable Types



19-21 Accessories



22-24 LED Operating Light



25-28 Electrical Dental Simulation System




https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

DA-300

Ultrathin
Intra Oral Camera

Applying the technology of high definition lenses and cold light LED, it carries the embedded operating system. It supports built-out USB device, multi-view display, QR £ode transmission, etc.



Specification

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Key Mode: 5 keys
Screen Size: 17 inch
Screen Resolution: 1280*1024
Display: 1 Picture/4 Pictures
Wi-Fi Transmission: Available
Storage Mode: USB Storage
Other Function: Remote Control Function
Storage Capacity: 32G
Picture Format: JPG
Focusing Scope: 5-50mm
Power Consumption: 30W
Option: UV Camera



Ultrathin and High Definition

178 degree all viewing angle, and more excellent quality

The monitor display adopts technologies of ultrathin screen and wide viewing angle, which brings amazing visual effect to dentists and patients. Let the patient has a clear and colorless vision same as the dentist lying on the dental chair.



10mm Ultrathin Monitor and Different Types of Port



Accessories



How to assemble to the dental chair



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

DA-200
Intra Oral Camera

Applying the technology of high definition lenses and cold light LED, it carries the embedded operating system. It supports built-out USB device, multi-view display, QR code transmission, etc.

* Functions *

- High Definition Display
- High Definition Camera
- Wi-Fi Transmission
- CMOS Sensor
- 6 pcs of Light Source
- Single and Multi-Picture Display

Connction
Wi-Fi Connection



Mobile or Tablet
Scan the QR code to get the picture.

Laptop Wireless Connection
Data Management Software and real time Operarion

Specification

Image Sensor: CMOS 1/4
Operating System: Embedded Operating System
Key Mode: 5 keys
Screen Size: 17 inch
Screen Resolution: 1280*1024
Display: 1 Picture/4 Pictures
Wi-Fi Transmission: Available (Option)
Storage Mode: USB Storage
Other Function: Remote Control Function
Storage Capacity: 32C
Picture Format: 3PC
Focusing Scope: 5-50mm
Power Consumption: 30W





Accessories



How to assemble to the dental chair



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

DA-100
Intra Oral Camera

Applying the technology of high definition lenses and cold light LED,it carries the embedded operating system. It supports built-out USB device.multi-view display, QR code transmission, etc.

Oral Digitization



Specification

Image Sensor:CMOS1/4
Operating System: Embedded Operating System
Key Mode: 5 keys
Screen Size:17inch
Screen Resolution:1280*1024
Display:1 Picture/4 Pictures
Wi-Fi Transmission: Available (Option)
Storage Mode: USB Storage
Other Function: Remote Control Function
Storage Capacity:32G
Picture Format: JPG
Focusing Scope:5-50mm
Power Consumption:30W

* Functions *

- High Definition Display
- High Definition Camera
- Wi-Fi Transmission
- CMOS Sensor
- 6 PCS of Light Source
- Single and Multi-Picture Display

Bulit-in Handle



Accessories



How to assemble to the dental chair



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

DA-100
UV Intra Oral Camera

Carrying IOMega pixel hight definition lenses, with the combination of 8 lights of blue light source and 4 light of white source, can find out a small decayed teeth, dental calculus, dental plaque, etc dental problem.



* 12 LED Lenses and 2 Light Sources
* Free Shift of Blue and White Light Source, Multi-Mode can be chosen
* Decayed teeth. Dental Calculus, Dental Plaque Check-Up
* Upgraded 10 Mega pixels high definition lenses





Mode of Dental Paque Check-up

Mode of Dental Calculus Check-up

Mode of Dental Paque Check-up



Accessories



How to assemble to the dental chair



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

Intra Oral Camera Colorful



*The color of the product shall be subject to the real object.



Abandoning the traditional color of clinic, we start with the color to make special monitor for children, make children banish fear from oral therapy, make clinic room more happiness.

DA-100
Colorful Serial
Intra Oral Camera



Blue
Champagne
Green
Cray



Accessories



Specification

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Key Mode: 5 keys
Screen Size: 17 inch
Screen Resolution: 1280*1024
Display: 1 Picture/4 Pictures
Wi-Fi Transmission: Available (Option)
Storage Mode: USB Storage
Other Function: Remote Control Function
Storage Capacity: 32G
Picture Format: JPG
Focusing Scope: 5-50mm
Power Consumption: 30W

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

VGA INTRA ORAL CAMERA



With the application of high speed optical chips technology, it make VGA connetcion is available on any monitor with VGA port, and provide a good user experience of high definition, stable picture quality, and easy to operation.

DA-MC01
VGA
Intra Oral Camera



* Application of high speed image processing technology
* High integrated design, universal VGA interface, it supports to any monitor
* Customization cable for Camera
* Upgraded High Definition Camera

Accessories



How to assemble to the dental chair



ническое оборудование с доставкой по России и СНГ

DA-PTC02E

21.5 Inch Touchscreen Integrated Computer

With the technology application of 21.5inch ultrathin and widescreen capacitive touchscreen, create a sensible touch experience. Combined with USB3.0 intra oral camera and specified software, make the check-up result show more clearly and diminish the miss and make communication more effectively.



High Definitio
Multitouch Screen

Quickly & Simply Insert your Image

Specification

Processor: INTEL Low Power Consumption Quad Core Processor
HDD:128G SSD
Strong: 8C-DDR3
Screen Size: 21.5inch
Screen Resolution: 1920*1080
Screen Type: Capacitive Touchscreen
Operating System: Windows10
Build-in WIFI Function
Bluetooth 4.0
Camera Connection: USB3.0 Camera
Specified Software for Patient Check-up Documentation



DA-PTC01E

H8.5 Inch Touchscreen Integrated Computer

With the technology application of 21.5inch ultrathin and widescreen capacitive touchscreen, create a sensible touch experience. Combined with USB3.0 intra oral camera and specified software, make the check-up result show more clearly and diminish the miss and make communication more effectively.



USB 3.0
Intra Oral Camera

High Definition
Multitouch Screen

Quickly & Simply Insert your Image

Specification

Processor: INTEL Low Power Consumption Quad Core Processor
HDD: 64C SSD
Strong: 8C-DDR3
Screen Size:18.5inch
Screen Resolution: 1366*768
Screen Type: Capacitive Touchscreen
Operating System: Windows10
Build-in WIFI Function
Bluetooth 4.0
Camera Connection: USB3.0 Camera
Specified Software for Patient Check-up Documentation



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

DA-U01

USB Camera

USB Camera supports OS System of Windows and system of Android. It supports taking pictures, and storng through specialized software.



The pictures display of split type intra oral camera will be adjusted automatically according to the screen size above 17inch monitor. It is light and portable and convenient for assemble and disassemble.

DA-STOJ

Split Type Intie Oral Camerja









Specification

Image Sensor: CMOS
Operating System: Windows/Android
Key Mode: 2 keys
Storage Mode: Computer Storage
Other Function: OTG Connection
Picture Format: JPG
Focusing Scope: 5-50mm

£3 OTG Connection
nr Function for Mobile



Ports of Connection





- Simple Design
- Anti-slip Design
- Heat Radiation Design

Specification

Image Sensor: CMOS1/4
Operating System: Embedded Operating System
Key Mode: 5 keys
Display: 1 Picture/4 Pictures
Wi-Fi Transmission: Available
Storage Mode: USB Storage
Other Function: Remote Control Function
Storage Capacity: 32G
Picture Format: JPG
Focusing Scope: 5-50mm



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Plastic Arm
Assemble Accessories



DA-ZJ101
Aluminum Alloy Arm
Specification
1.Max Rotation: 270°
2. Diameter: 40-50mm



DA-ZJ201
Standard I Type Metal Arm
Specification
1.Max Rotation: 270°
2. Diameter: 45mm



DA-ZJ301
Simple Type Metal Arm
Specification
1.Max Rotation: 180°
2. Diameter: 45mm



DA-ZJ401
Standard II Type Metal Arm
Specification
1.Max Rotation: 270°
2. Diameter: 45mm

Plastic Arm
Assemble Accessories



DA-ZJ501
Standard Type Plastic Arm
Specification
1.Max Rotation: 270°
2. Diameter: 45mm



DA-ZJ601
Simple Type Plastic Arm
Specification
1.Max Rotation: 270°
2. Diameter: 45mm

Monitor Base
Assemble Accessories



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Trolley

Assemble Accessories

Dental equipment solution for dental clinic.
Providing the service of "One-Stop Purchasing"







Plastic Trolley

Specification

Dimesion:
500*90*815 mm
Color:
White, Cray







Metal Trolley

Specification

Dimesion:
420*360*1200 mm

Dental Operating Light



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

LED Dental Operating Light

Dental equipment solution for dental clinic.Providing the service of "One-Stop Purchasing"

Dental equipment solution for dental clinic.Providing the service of "One-Stop Purchasing"

LED Dental Operating Light



DA-SL03
LED Dental Operating Light

Basic Parameter

Input: AC12V-AC24V
Power:15VA
Controlling Method: 'Infrared Sensor Switch
Stepless Dimming
'Manual Switch
Sensing Range: 20mm-80mm
Lamp Housing Dimeter Option: ф22тт, ф26тт
Work Mode: Continuous Working

Optical Parameter

LED QTY:8 PCS
Illumination:12000 Lux-30000 Lux
Color temperature: 3000K-6000K Adjustable
Lightspot Dimension: Distance 700mm, 80mm*160mm



DA-SL05
LED Dental Operating Light

Basic Parameter

Input: AC12V-AC24V
Power:15VA
Controlling Method: 'Infrared Sensor Switch
Stepless Dimming
'Manual Switch
Sensing Range: 20mm-80mm
Lamp Housing Dimeter Option: ф22тт, ф26тт
Work Mode: Continuous Working

Optical Parameter

LED QTY:1 PCS
Illumination:10000 Lux-35000 Lux
Color temperature: 5500K
Lightspot Dimension: Distance 700mm, 80mm*160mm



DA-SL01 Colo: Golden or Cray
LED Dental Operating Light

Basic Parameter

Input: AC12V-AC24V
Power:15VA
Controlling Method: 'Infrared Sensor Switch
Stepless Dimming
•Manual Switch
Sensing Range: 20mm-80mm
Lamp Housing Dimeter Option: ф22тт, ф26тт
Work Mode: Continuous Working

Optical Parameter

LED QTY:4 PCS
Illumination:12000 Lux-30000 Lux
Color temperature: 6000K
Lightspot Dimension: Distance 700mm, 80mm*160mm



DA-SL02
LED Dental Operating Light

Basic Parameter

Input: AC12V-AC24V
Power:15VA
Controlling Method: *Infrared Sensor Switch
Stepless Dimming
•Manual Switch
Sensing Range: 20mm-80mm
Lamp Housing Dimeter Option: ф22тт, ф26тт
Work Mode: Continuous Working


Optical Parameter

LED QTY:6 PCS
Illumination:12000 Lux-30000 Lux
Color temperature: 6000K
Lightspot Dimension: Distance 700mm, 80mm*160mm

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Electrical Oral Simulation Practice System

Electrical Oral Simulation Practice System is practice equipment, which used for dental taaching of dental school, and universities ,etc .In this simulation environment, the students can know and master clinical operation skills of oral courses as early as possible.



Electrical
OralSimulation
Practice System

Electrical Oral Simulation Practice System

Tow Systems

- Endoscope System
- Oral Cavity Microscope System



Endoscope System



Microscope System

Components

The oral simulation system mainly consist of phantom, motor unit, arm,dental lamp, assistant kit, foot controller, etc.



DA-TV01
Traning Version

Specification

Electric Part
Moveable Unit
Phantom
High Speed Handpiece
LowSpeed Handpiece
3-Way Syringe
Saliva Suction
Multifunction Foot Controller
LED Operating Light/ Arm
Built- in Power Plug
Water purification system
Sewage recovery system



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

DA-SV02
Standard Version

Specification

Electric Part
Moveable Unit
Phantom
High Speed Handpiece
LowSpeed Handpiece
3-Way Syringe
Saliva Suction
Multifunction Foot Controller
LED Operating Light/ Arm
Workbench
Built- in Power Plug
Stool
Water purification system
Sewage recovery system



DA-HV03
High Version

Specification

Electric Part
Moveable Unit
Phantom
High Speed Handpiece
LowSpeed Handpiece
3-Way Syringe
Saliva Suction
Multifunction Foot Controller
LED Operating Light/ Arm
Workbench
Built- in Power Plug
Stool
Water purification system
Sewage recovery syst
Endoscope System
Microscope System



DA-PTC02ME
21.5 Inch Monitor

Viewing Angle Montior

- Wide viewing angle screen
- No Screen Flickering for Eye Protection
- Restore True Color



Specification

Resolution:1920*1080(High Definition)
Aspect Ratio:16:9
Viewing: Up to 178°
WeightD Ultrathin & Light
Ports: VCA*1, HDMIxI, Audio Output*!



Dental Simulator Accessories



DA-CI
Simulated Head
Simulated Body
Clamp (Adjustable)



DA-C2
Simulated Head
Simulated Body



DA-C3
Simulated Head
Simulated Body



DA-C4
Simulated Head
Simulated Body



DA-C5
Simulated Head
Simulated Body, Clamp (Adjustable)

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ