stomdevice

Scan and Login website
for more information

WOODPECKER | DTE®

FDA CE 0197

TIP BOOK










https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

Contents

Periodontal treatment device

Dimensions Unit: mm

Model		Page
P50L		1
P50R		2
P52		3
P53L		4
P53R		5
P56		6
P59		7
P90		8



SPOILING YOU SO MUCH!

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Scaling

Dimensions Unit: mm

Model	Page
G1	9
G2	10
G3	11
G4	12
G5	13
G6	14
G7	15
G8	16
G9	17
G10	18
G11	19
G12	20


































stomdevice

Inlay Preparation

Model		Page
G20		21
G21		22
G30		23
G31		24
G32		25
G33		26

Periodontics

Dimensions Unit: mm


Model		Page
P1		27
P2L		28
P2LD		29
P2R		30
P2RD		31
P3		32


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Periodontics


Dimensions Unit: mm


Model	Page
P3L	33
P3R	34
P3D	35
P4	36
P5	37
P6	38
P7	39
P10	40
P11	41
P12	42


























https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


Periodontics

Dimensions Unit: mm

Model	Page
P14L	43
P14R	44
P18	45
P20	46
P20L	47
P20R	48
P21L	49
P21R	50
P22L	51
P22R	52































Endodontics

Dimensions Unit: mm


Model		Page
E1		53
E2		54
E3		55
E3D		56
E4		57
E4D		58
E5		59
E5D		60
P4D		61


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Endodontics


Dimensions Unit: mm

Model	Page
E6	62
E7	63
E8	64
E9	65
E10	66
E10D	67
E11	68
E11D	69
E12D	70






















https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ






stomdevice

Endodontics

Model		Page
E14		71
E14D		72
E15		73
E15D		74

Cavity preparation

Dimensions Unit: mm




Model		Page
SB1		75
SB2		76
SB3		77
SBL		78
SBR		79





https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice


Scaling

Dimensions Unit: mm

Model		Page
GK1		80
GK2		81
GK3		82
GK4		83
GK5		84
GK6		85

Model		Page
GK7		86
GK20		87
GK21		88
GC1		89
GC2		90



Periodontics

Model		Page
PC1		91

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ




Scaling

Dimensions Unit: mm

Model		Page
A1		92
A2		93






Bone surgery


Model		Page
US1		94
US1L		95
US1R		96
US2		97

Model		Page
US3		98
US4		99
US5		100
US6		101
US13		102
US21		103
US25		104





Sinus lifting

Dimensions Unit: mm

Model		Page
UL1		105
UL2		106
UL3		107
UL4		108
UL5		109

Model		Page
UL8		110

Endodontics


UE1		111
UE2		112
UE3		113
UE4		114


https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


Exelcymosis


Dimensions Unit: mm


Model	Page
UC1	115
UC2	116
UC3	117
UC6	118
UC7	119















Implantaion


Model	Page
UI1	120
UI2	121
UI7	122
UI8	123
UI9	124


















Periodontal surgery

Dimensions Unit: mm

Model		Page
UP1		125
UP2		126
UP3		127
UP4		128
UP5		129

Model		Page
UP6		130
UP7		131

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


SPOILING YOU
SO MUCH!




P50L

Volume of water: Ensure the cooling water reach the end of the tip.
Functional Description: Explore subgingival calculus, root planing and subgingival scaling.
Applicable area: Teeth adjacent part
Operation method:The tip is perpendicular to the long axis of the tooth, The front or back 2mm tip needle part adapt the tooth surface.Move the tip up and down.









P50R

Volume of water: Ensure the cooling water reach the end of the tip.
Functional Description: Explore subgingival calculus, root planing and subgingival scaling.
Applicable area: Teeth adjacent part
Operation method:The tip is perpendicular to the long axis of the tooth, The front or back 2mm tip needle part adapt the tooth surface.Move the tip up and down.










P52

Volume of water: Ensure the cooling water reach the end of the tip
Functional Description: For gingival scaling
Applicable area: All teeth buccal and lingual site
Operation method:The tip is parallel to the long axis of the tooth, and ensure the 2 mm right or left tip niddle site adapt the tooth surface.Move the tip front and back.









P53L

Volume of water: Ensure the cooling water reach the end of the tip.
Functional Description: Explore subgingival calculus, root planing and subgingival scaling.
Applicable area: Teeth adjacent part
Operation method:The tip is perpendicular to the long axis of the tooth, The front or back 2mm tip needle part adapt the tooth surface.Move the tip up and down.










P53R

Volume of water: Ensure the cooling water reach the end of the tip.
Functional Description: Explore subgingival calculus, root planing and subgingival scaling.
Applicable area: Teeth adjacent part
Operation method:The tip is perpendicular to the long axis of the tooth, The front or back 2mm tip needle part adapt the tooth surface.Move the tip up and down.










P56

Volume of water: Ensure the cooling water reach the end of the tip
Functional Description: Used for gingival large stones and dental plaque
Applicable area: All teeth buccal and lingual site.
Operation method:The tip is parallel to the long axis of the tooth. and ensure the 2 mm right or left tip niddle site adapt the tooth surface. Move the tip front and back.









P59

Volume of water: Ensure the cooling water reach the end of the tip
Functional Description: For subgingival calculus probing, subgingival scaling and root planing
Applicable area: All teeth buccal and lingual site
Operation method:The tip is parallel to the long axis of the tooth. and ensure the 2 mm right or left tip niddle site adapt the tooth surface. Move the tip front and back.









P90

Volume of water: Ensure the cooling water reach the end of the tip
Functional Description: Used for gingival large stones and dental plaque
Applicable area: All teeth buccal and lingual site of dental implant or prosthesis.
Operation method:The tip is parallel to the long axis of the tooth.and ensure the 2 mm right or left tip niddle site adapt the tooth surface. Move the tip front and back.
Warn: Please ensure that there is water coming out from the handpiece to avoid damage to the tip













G1 (GD1/GS1)

Removal of supragingival deposits in all quadrants.













G2 (GD2/GS2)

Removal of heavy supragingival deposits.
Apply flat end to surface of teeth.













G3 (GD3/GS3)

Removal of supragingival deposits in all quadrants, including the interproximal and sulcus areas.












G4(GD4/GS4)

Recommended for the treatment of interproximal spaces and for supragingival scaling.













G5 (GD5/GS5)

Recommended for treating simple cases and gross supragingival scaling.











G6(GD6/GS6)

Recommended for removing voluminous supragingival deposits.
Apply flat end to surface of teeth.











G7 (GD7/GS7)

Removal of crowns.


Apply the instrument onto surface and activate. Increase pressure until vibrations can no longer be heard and maintain for few seconds.






G8 (GD8/GS8)

Removal of posts.
Ultrasonic high efficiency for the removal of the difficult prosthetic parts.







https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


G9 (GD9)

Removal of supragingival calculus, interdental calculus and calculus at the neck of the teeth.










G10 (GD10)

Removal of supragingival deposits in all quadrants, including the interproximal and sulcus areas.












G11 (GD11/GK11)

Diamond-coated(40μm) instrument for polishing the treatment surface of teeth in interproximal areas, without damaging the adjacent teeth during the orthodontics treatment.











G12 (GD12)

Removal of large supragingival deposits on the lingual surfaces in all quadrants.










https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


G20 (GD20)

There are diamonds coated (120um grit) on the head of the tip for dentin abrading.
It's used for "supragingival shoulder" preparation after the completion of the preparation of the "subgingival shoulder" with bur.













G21 (GD21)

There are diamonds coated (50um fine sand) on the head of the tip for dentin abrading, mainly used for polishing of prepared supragingival shoulder and subgingival shoulder.











G30 (GD30)

There are diamonds coated (90um) on the head of the tip, used for the preparation between pits and fissures.












G31 (GD31)

There are diamonds coated (90um) on the head of the tip, used for the preparation of the mesial cavity.












G32 (GD32)

There are diamonds coated (90um) on the head of the tip, used for the preparation of the distal cavity.












G33 (GD33)

There are diamonds coated (90um) on the head of the tip, used for the preparation of the tooth veneers.










P1 (PD1/PS1)

Slim and sharp , recommended for cleaning and irrigating of subgingival deposits.











P2L(PD2L)

Left-angled, used to remove calculus from very narrow inter-root spaces and furcation.











P2LD(PD2LD)

Left-angled, diamond-coated(40µm) instrument for root planing.












P2R(PD2R)

Right-angled, used to remove calculus from very narrow inter-root spaces and furcation.












P2RD(PD2RD)

Right-angled, diamond-coated(40μm) instrument for root planing.












P3 (PD3/PS3)

Recommended for cleaning and irrigating of periodontal deep pockets.











P3L (PD3L)

Left-angled, used for subgingival scaling.









P3R (PD3R)

Right-angled, used for subgingival scaling.











P3D(PD3D)

Diamond-coated(40μm) instrument for root planning after the periodontal flap surgery.
It's also applied to edge planning of artificial crown and furcation expanding.











P4 (PD4/PS4)


Recommended for cleaning and irrigating of periodontal shallow pockets.







P5 (PD5)

For removal of the tartar in the adjacent of teeth and Gingival margin of the neck.










P6 (PD6)

Slim and sharp ,recommended for cleaning and irrigating of periodontal deep pockets.









P7 (PD7)

Slim and sharp ,recommended for cleaning and irrigating of subgingival deposits.










P10(PD10)

For gentle scaling and removal of tartar in the periodontal pocket.








P11(PD11)

For high efficient removal of the stubborn tartar in the subgingival.








P12(PD12)

With slim blade edge at the end of the tip, for high efficient removal of the stubborn tartar in posterior subgingival.










P14L(PD14L)

Left curved, with slim blade edge at the end of the tip, for high efficient removal of the stubborn tartar in posterior subgingival.










P14R(PD14R)

Right curved, with slim blade edge at the end of the tip, for high efficient removal of the stubborn tartar in posterior subgingival.









P18(PD18)

For probing the deep periodontal pocket tartar, and subgingival rinse after scaling.







P20(PD20)

For removal of the tartar in the adjacent of teeth, gingival margin of the neck and the tartar within 3mm in the subgingival pocket.










P20L(PD20L)

Left curved, for high efficient removal of the stubborn tartar in posterior subgingival.










P20R(PD20R)

Right curved, for high efficient removal of the stubborn tartar in posterior subgingival.









P21L(PD21L)

Left curved, for the scaling of root bifurcation and root surface of adjacent of posterior teeth sector.









P21R(PD21R)

Right curved, for the scaling of root bifurcation and root surface of adjacent of posterior teeth sector.










 https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

P22L(PD22L)

Left curved, the 12mm straight part can assure the complete removal of subgingival tartar and stains.










P22R(PD22R)

Right curved, the 12mm straight part can assure the complete removal of subgingival tartar and stains.









E1 (ED1/ES1)

120° holder, used to hold the file diameter Φ0.7mm or Φ0.8mm.
Recommended for the cleaning and irrigating of the root canal, usually used for the anterior teeth.




Use only the provided flat wrench to tighten the file holders on the handpiece, as well as for gently tightening the files or instruments in the holder. Do not over tighten.
Do not tighten the holder nut when no file or instrument is installed as this may damage it.
Do not mix-install the holder with Φ0.7mm and Φ0.8mm file, the Φ0.8mm file will not be able to be installed after a Φ0.7mm file installed on the holder.




E2 (ED2/ES2)

95° holder, used to hold the file diameter Φ0.7mm or Φ0.8mm.
Recommended for cleaning and irrigation of the root canal, usually used for the molar teeth.





Use only the provided flat wrench to tighten the file holders on the handpiece, as well as for gently tightening the files or instruments in the holder. Do not over tighten.
Do not tighten the holder nut when no file or instrument is installed as this may damage it.
Do not mix-install the holder with Φ0.7mm and Φ0.8mm file, the Φ0.8mm file will not be able to be installed after a Φ0.7mm file installed on the holder.



E3 (ED3/ES3)


Recommended for melting gutta-percha.
Immerse the instrument in eugenol before inserting it in the canal.
Slightly press the instrument against the cone of gutta-percha and activate the scaler to condense until the canal is filled.






E3D(ED3D/ES3D)


Diamond-coated(40μm) instrument for enlarging the root canal and access to files broken in the root canal.
Don't touch the broken file when enlarging the root canal in case putting it deeper in the canal.







E4(ED4/ES4)

Used to remove the root filling obstructions during the root canal retreatment. The length of tip slender part is (22mm).










E4D(ED4D/ES4D)

Diamond-coated(40μm) instrument for removing the calcification and bad filling material in the root canal during the root canal retreatment. The length of the diamond-coated on tip is (15mm).









E5 (ED5/ES5)

Used to remove the root filling obstructions during the root canal retreatment. The length of tip slender part is (16mm).










E5D(ED5D/ES5D)

Diamond-coated(40μm) instrument for removing the calcification and bad filling material in the root canal during the root canal retreatment. The length of the diamond-coated on tip is (10mm).










P4D(PD4D/PS4D)

Diamond-coated(40μm) instrument for root canal orientation. It can also be applied to remove the calcifications located at the 1/3 part of root canal.
Don't press too much during the treatment to avoid hurting the root canal.










E6(ED6)

Thin and flexible, used for removing foreign body in deep canal.










E7 (ED7)

Thin and flexible, used for removing foreign body in 1/3 canal.









E8(ED8/ES8/EK8)

Recommended for holding different types of dental bur to realize a variety of treatment on teeth.
Usually used for the anterior teeth.
Special burs used for dental implant is applicable.







 https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

E9(ED9)


Recommended for holding different types of dental bur to realize a variety of treatment on teeth.
Usually used for the molar teeth.
Special burs used for dental implant is applicable.







E10(ED10/ES10)

Used to polish the root canal in the retrograde preparation of root canals. The length of tip slender part is (4.5mm).










E10D(ED10D/ES10D)

Diamond-coated(40μm) instrument for high efficiency root planning in the retrograde preparation of root canals. The length of the diamond-coated on tip is (3.3mm).










E11 (ED11/ES11)

Used to polish the root canal in the retrograde preparation of root canals. The length of tip slender part is (3.5mm).










E11D(ED11D/ES11D)

Diamond-coated(40μm) instrument for high efficiency root planning in the retrograde preparation of root canals. The length of the diamond-coated on tip is (2.2mm).









E12D(ED12D)

Diamond-coated(90um),used for removing the calcification and bad filling material of pulp cavity,exposing the root canal orifice.









E14 (ED14/ES14)

Instrument for the removal of broken files inside the root canal. The length of tip slender part is (22mm).

If possible place the patient's head in a position where the root canal is horizontal with a downward inclination. Rotate the tip of the instrument counterclockwise around the broken part until it is picked out from the root canal.


To avoid push the broken file deeper into the root canal, do not use pressure to the instrument in the axial direction.







E14D(ED14D)

Diamond-coated(40um) instrument for removing the calcification and bad filling material in the root canal during the root canal retreatment. The length of the diamond-coated on tip is (15mm). With irrigation.









E15 (ED15/ES15)

Instrument for the removal of broken files inside the root canal. The length of tip slender part is (16mm).

If possible place the patient's head in a position where the root canal is horizontal with a downward inclination. Rotate the tip of the instrument counterclockwise around the broken part until it is picked out from the root canal.


To avoid push the broken file deeper into the root canal, do not use pressure to the instrument in the axial direction.







E15D(ED15D)

Diamond-coated(40um) instrument for removing the calcification and bad filling material in the root canal during the root canal retreatment. The length of the diamond-coated on tip is (10mm). With irrigation.









SB1 (SBD1)

Diamond-coated(85μm) instrument for removing the caries on oeclusal surface of teeth and dental neck.

Place the instrument on the pit and move slowly into it with light pressure.








SB2 (SBD2)

Diamond-coated(85μm) instrument for removing the caries on Mesial surface of the adjacent teeth.











SB3 (SBD3)

Diamond-coated(85μm) instrument for removing the caries on Distal surface of the adjacent teeth.











SBL(SBDL)

Diamond-coated(85μm) instrument for removing the dental caries, it will not hurt the adjacent teeth from right to left 45 degree.












SBR(SBDR)

Diamond-coated(85μm) instrument for removing the dental caries, it will not hurt the adjacent teeth from left to right 45 degree.












GK1

Removal of supragingival deposits in all quadrants.













GK2

Removal of supragingival heavy calculus and plaque.













GK3

Removal of supragingival calculus, interdental calculus and calculus at the neck of the teeth.













GK4

Removal of supragingival deposits, including the interproximal and sulcus areas.













GK5


Removal of subgingival calculus.















GK6

Left-angled, removal of subgingival calculus.













GK7

Right-angled, removal of subgingival calculus.













Gk20

There are diamonds coated (120um grit) on the head of the tip for dentin abrading.
It's used for "supragingival shoulder" preparation after the completion of the preparation of the "subgingival shoulder" with bur.













Gk21

There are diamonds coated (50um fine sand) on the head of the tip for dentin abrading, mainly used for polishing of prepared supragingival shoulder and subgingival shoulder.













GC1

Removal of supragingival deposits in all quadrants.










GC2

Removal of supragingival calculus, interdental calculus and calculus at the neck of the teeth.













PC1

Removal of subgingival calculus, including the interproximal and sulcus areas.













A1

Removal of supragingival deposits, including the interproximal and sulcus areas.













A2

Removal of supragingival deposits in all quadrants, including neck and adjacent part of the teeth.













US1

High effectiveness osteotomy of large bone sections during maxillofacial surgery, it can also be used for exodontia exodontics.










MODE: BONE

POWER: Quality1, Quality2, Quality3 (Cortical/Spongious)




https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

US1L


Left angle 90°, horizontal osteotomy technique in maxilla and mandible.






MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)



US1R


Right angle 90°, horizontal osteotomy technique in maxilla and mandible.





MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

US2


High effectiveness osteotomy technique in maxilla and mandible(ridge expansion, corticotomy technique, bone block grafting).





MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

US3


Osteotomy: osteotome of great precision in anatomically thin structures.





MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)





https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


US4

Universal osteoplasty: periodontal ostectomy, bone chips harvesting, inflammatory tissue removal (cyst, etc.).










1 2


MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)



US5


High efficiency bone osteoplasty: bone remodelling and harvesting of bone chips.





MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




 https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

US6


Osteotomy: osteotome of great precision in anatomically thin structures(ridge expansion, corticotomy technique).





MODE: BONE


POWER: Special




US13

For osteomory and the removal of apex in posterior teeth area.









MODE: BONE


POWER: Special



US21


Used for bone cutting. Fan-shaped serration, more convenient for cutting in different angle.





MODE: BONE

POWER: Special




US25

Used for bone surgery.









MODE: BONE

POWER: Special




UL1

Tip angle 120°, separation of the sinus membrane in internal zones, non-cutting elevator of the sinus membrane.




MODE: ROOT


POWER: Endo(Maximum power permitted)




UL2

Schneiderian membrane separation from bony walls: separation of the sinus membrane.








MODE: ROOT

POWER: Endo(Maximum power permitted)








IRRIGATION

UL3


Diamond-coated(100µm) instrument for micrometric osteotomy or osteoplasty: non-traumatic, to finalize the osteotomy or osteoplasty on thin bone and/or near delicate anatomic structures.








1



2


MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




UL4


Diamond-coated(100µm) instrument for micrometric osteotomy: to finalize the osteotomy in proximity of soft tissue (sinus membrane, vessel, alveolar nerve).








1



2

MODE: BONE

POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)






IRRIGATION

 https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


UL5

Tip angle 95°, separation of the sinus membrane in internal zones, non-cutting elevator of the sinus membrane.



MODE: ROOT


POWER: Endo(Maximum power permitted)




UL8

Diamond-coated head (100 μ m), used for non-traumatic osteotomy and osteoplasty near soft tissue and thin bone region.








MODE: ROOT


POWER: Endo(Maximum power permitted)



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


UE1

Diamond-coated(40μm) instrument for apical root debridement: diamond-coated instrument for efficient root planning. The length of the diamond-coated on tip is (3.3mm).




MODE: ROOT


POWER: Endo(Maximum power permitted)



UE2


Used for gentle canal cleaning. The length of tip slender smooth part is (4.5mm).






MODE: ROOT

POWER: Endo(Maximum power permitted)



UE3


Diamond-coated(40μm) instrument for apical root debridement: diamond-coated instrument for efficient root planning. The length of the diamond-coated on tip is (2.2mm).






MODE: ROOT

POWER: Endo(Maximum power permitted)




UE4

Used for gentle canal cleaning. The length of tip slender smooth part is (3.5mm).






1




2



3

MODE: ROOT

POWER: Endo(Maximum power permitted)





IRRIGATION

UC1

Used to cut off the ankylosis and root fraction techniques.








MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)



UC2


Left curved, Used to cut off the ankylosis,root fraction techniques in the posterior regions.





MODE: BONE

POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

UC3


Right curved, Used to cut off the ankylosis,root fraction techniques in the posterior regions.






MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)



UC6


For teeth extraction and alveolar bone splitting






MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)



UC7


For teeth extraction and alveolar bone splitting






MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




UI1

Ø1.6mm implantation site preparation insert. The working length of the tip is (9mm).









MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)



U12


Ø2mm implantation site preparation insert. The hole at the center of the top for water spray maximum reduce the heat.






MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




U17

Diamond-coated(85µm) instrument for finalizing the implantation site preparation close to the alveolar nerve.









MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




U18

Ø1.6mm implantation site preparation insert. The working length of the tip is (15mm).









MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)





U19


Ø2.8mm implantation site preparation insert . The hole at the center of the top for water spray maximum reduce the heat.












1 2 3

MODE: BONE


POWER: Quality1, Quality2, Quality3
(Cortical/Spongious)




IRRIGATION

UP1


Recommended for periodontal gentle curetting scaling.






MODE: ROOT


POWER: PERIO




UP2

Inflammatory tissue removal and fractured root apex extraction.









MODE: ROOT

POWER: PERIO




UP3


Recommended for angled periodontal gentle curetting scaling.








1



2


MODE: ROOT


POWER: PERIO




UP4


Diamond-coated(40µm) instrument for root debridement and root planning.








1



2


MODE: ROOT


POWER: PERIO




UP5


Recommended for root surface micro-smoothening.








1



2

MODE: ROOT


POWER: PERIO





IRRIGATION

UP6


Diamond-coated(40µm) instrument for micro-osteoplasty: interproximal osteoplasty and root planning.








1



2

MODE: ROOT


POWER: Quality1,Quality2,Quality3
(Cortical/Spongious)




 https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

UP7


Diamond-coated(40µm) instrument for root canal orientation and removal of the calcifications located at the 1/3 part of root canal, it can also be used for micro-osteoplasty.





MODE: ROOT

POWER: Endo(Maximum power permitted)



stomdevice

MODE OF ULTRASURGERY AND OTHER SPECIAL TIPS

	Tip Model	Compatible Brand
Scaling	GS1/GS2/GS3/GS4/GS5/GS6/GS7/GS8	Compatible with Sirona Scalers
Periodontics	PS1/PS3/PS3D/PS4	
Endodontics	ES1/ES2/ES3/ES3D/ES4/ES4D/ES5/ES5D/ PS4D/ES8/ES10/ES10D/ES11/ES11D/ES14 /ES15	
Scaling	GK1/GK2/GK3/GK4/GK5/GK6/GK7/GK11	Compatible with Kavo Scalers
Endodontics	EK8	
Scaling	GC1/GC2	
Periodontics	PC1	
Scaling	A1/A2	Compatible with Amdent Scalers
Bone surgery	US1/US1L/US1R/US2/US3/US4/US5/US6/ US13/US21/US25/	Compatible with WOODPECKER & Mectron Ultrasurgery
Sinus lifting	UL1/UL2/UL3/UL4/UL5/UL8	
Endodontics	UE1/UE2/UE3/UE4	
Exelcymosis	UC1/UC2/UC3/UC6/UC7	
Implantation	UI1/UI2/UI7/UI8/UI9	
Periodontal surgery	UP1/UP2/UP3/UP4/UP5/UP6/UP7	

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice



www.glwoodpecker.com

Guilin Woodpecker Medical Instrument Co., Ltd.
Information Industrial Park, Guilin National High-Tech Zone, Guilin, Guangxi, 541004 P. R. China

Tel:
Europe Sales Dept.: +86-773-5873196, +86-773-2125222
North America, South America & Oceania Sales Dept.:+86-773-5873198, +86-773-2125123
Asia & Africa Sales Dept.:+86-773-5855350, +86-773-2125896
Fax: +86-773-5822450
E-mail:woodpecker@glwoodpecker.com,sales@glwoodpecker.com
Website: http://www.glwoodpecker.com

EC REP MedNet GmbH
Borkstrasse 10 · 48163 Muenster · Germany

134℃

ZMN/WI-09-036 1.4-20170401

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ