DK50 2V MOBILE

Mobile oil-free compressor in soundproofing cabinet with an option of outlet pressure regulation.



DK50 2V MOBILE - with noise reduction cabinet

DK50 2V/M MOBILE - with noise reduction cabinet, with dryer

Without dryer

	DK50 2V MOBILE
Dryer	✘
Noise reduction cabinet	✔
Nominal voltage / frequency	230 V / 50 Hz 115 V / 60 Hz
Motor performance	1.2 kW 1.1 kW (115 V / 60 Hz)
Air tank capacity	25 l
Compressor efficiency (working pressure 6 - 8 bar)	135 $l.min^{-1}$ / 6 bar
Compressor efficiency (working pressure 8 - 10 bar)	110 $l.min^{-1}$ / 8 bar
Duty cycle	S1 - 100 % S3 - 60 % (115 V / 60 Hz)
Noise level	≤ 62 dB (A) (50 Hz) ≤ 64 dB (A) (60 Hz)
Weight	104 kg
Dimensions	550 x 720 x 995 mm

EKOM spol. s r.o., Priemyselná 5031/18, 921 01 Piešťany, Slovak Republic
T +421 33 7967 211, F +421 33 7967 223, info@ekom.sk, www.ekom.sk

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ


With membrane dryer

	DK50 2V/M MOBILE
Dryer	✔(MD)
Noise reduction cabinet	✔
Nominal voltage / frequency	230 V / 50 Hz 115 V / 60 Hz
Motor performance	1.2 kW 1.1 kW (115 V / 60 Hz)
Air tank capacity	25 l
Compressor efficiency (working pressure 6 - 8 bar)	104 $l.min^{-1}$ / 6 bar
Duty cycle	S1 - 100 % S3 - 60 % (115 V / 60 Hz)
Degree of air drying (pressure dew point PDP)	+3 °C at 7 bar +3 °C at 9 bar
Noise level	≤ 62 dB (A) (50 Hz) ≤ 64 dB (A) (60 Hz)
Weight	110 kg
Dimensions	550 x 720 x 995 mm

- Data on weight and dimension are for informational purposes only
- Technical modifications are subject to change

Diagrams





Photogallery





EKOM spol. s r.o., Priemyselná 5031/18, 921 01 Piešťany, Slovak Republic
T +421 33 7967 211, F +421 33 7967 223, info@ekom.sk, www.ekom.sk

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ