stomdevice

FONA

CLOSER TO YOU



THE ULTIMATE HYGIENE SOLUTION

DAC UNIVERSAL

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

All-in-One Process



Step 1: Internal cleaning with cold water

Step 2: Fully automatic lubrication

Step 3: External cleaning with cold and hot water

Step 4: Sterilization and drying

PROGRAM *	TEMPERATURE	STERILIZATION TIME	TOTAL CYCLE TIME
Standard 134 °	134 °C	3 min.	16 min.
Gentle 121 °	121 °C	15 min.	28 min.
Extended 134 °	134 °C	18 min.	32 min.
Wrapped instruments	134 °C	3 min.	31 min.

* All programs include both internal and external cleaning and lubrication except the program for Wrapped instruments. Total cycle times can vary due to specific working environments and loads.

Conformity with Hygiene Standards

DAC UNIVERSAL is specially certified for the decontamination of turbines, handpieces and contra-angles according to the European standard **EN 13060 (Class S)** for small sterilizers. The cleaning process of the DAC UNIVERSAL is performed according to the international standard for washer-disinfectors **ISO 15883:5**



- Instruments available for use faster than ever before
- Saving time and costs by replacing the time-consuming manual handling
- Wide range of adapters for universal use
- Ideal combination of speed and safety
- Print or store the data from each cycle

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

FONA DAC UNIVERSAL

THE ULTIMATE HYGIENE SOLUTION

The DAC Universal is a combination autoclave that cleans, lubricates, sterilizes and dries handpieces, contra-angles, turbines and solid instruments both wrapped and unwrapped. Fully automatic process with better, faster and safer results brings greater productivity for your dental clinic and more safety to your clinic staff and patients.

ALL-IN-ONE PROCESS

DAC UNIVERSAL cleans, lubricates and sterilizes six rotary instruments at the touch of a button.

AUTOMATIC CLEANING, LUBRICATION & STERILIZING

Fully automated process eliminates potential handling errors and ensures perfectly clean results.

FAST AND SAFE

Quickest and easiest way to make instruments ready for use in only 16 minutes.



https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Accessories



Lid for 6 Unwrapped rotary Instruments



Lid for 3 Wrapped Instruments



Wire Basket for 5 Solid Instruments



Lid Holder for two Lids



Printer for DAC UNIVERSAL



Oil



Cleaning Tabs



Spore Tester (PCD)



Chemical Indicator & Holder

DOCUMENTATION	
RS 232 connections	Printer, documentation software, USB adapter, memory sticks, memory cards, etc.
Printout	Selected sterilization program, date, time, batch number, vacuum, pressure, temperature, serial number, deviation, etc.

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

Adapters & Technical Specifications

TURBINE ADAPTERS


Adapter BienAir UNIFO


Adapter Castellini CERAMIC FREEDOM


Adapter Fixed connection CERAMIC FREEDOM


Adapter Fixed connection MW/ISO 4/5 hole


Adapter KaVo MULTIflex


Adapter Lares Apollo


Adapter MicroMega 35 ST/STL


Adapter MW/ISO 4/5 hole w. quick-connect


Adapter Morita alpha


Adapter Morita CP4


Adapter NSK QDJ


Adapter Osada OFJ


Adapter FONA/Sirona Quick Coupling R/F/B


Adapter StarDental HiFlo also fits Titan 3/Titan-T


Adapter W&H Roto Quick


Adapter W&H Adec RA 24


Adapter Yoshida QUICK JOINT

ULTRASONIC SCALER ADAPTERS


Adapter EMS ultrasonic scaler w/o light


Adapter EMS ultrasonic scaler w/ light


Adapter ISO/INTRAmatic

CONTRA-ANGLE/STRAIGHT ADAPTERS


Adapter KaVo/BienAir contra-angle heads


Adapter Osada HL-C


Adapter Sirona TE/T1 CLASSIC

AIRMOTOR/AIRMOTOR ATTACHMENT ADAPTERS


Adapter Midwest Rhino Shorty airmotor attach.


Adapter NSK PHATELUS airmotor


Adapter StarDental Titan 3/T airmotor attachment

TECHNICAL SPECIFICATIONS	
Voltage	90–120V AC / 190-240V AC; 50/60 Hz
Air pressure/Short-term consumption	5.0–8.0 bar/app. 60 Nl per min. at 5 bar
Oil bottle capacity	0,2 l
Water tank capacity	2.0 l
Water consumption	Approx. 600 ml per cycle
Water quality	<3 µS (demineralized or distilled)
Dimensions (with standard lid)	53/35 cm (H open/closed) x 38cm (W) x 37cm (D)
Weight	23 kg

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ

stomdevice

Comprehensive product portfolio



Treatment centers



Instruments



Laser



Hygiene



3D and Panoramic x-rays



Intraoral x-rays



Intraoral sensors



Phosphor plate scanner

FONA, the most exciting new brand in dental

FONA is a fast-growing, global and dynamic brand, continuously developing its comprehensive product portfolio according to international quality standards. Ensuring excellent price/performance ratio, FONA provides a full range of valuable, reliable and user focused equipment for everyday dentistry. With manufacturing sites in three continents and local support through a rapidly expanding international sales and service team that understands your needs, FONA is truly CLOSER TO YOU.

Copyright FONA Dental, s.r.o., All rights reserved, Subject to technical changes and errors in the text, BRO003, v2, ENG, 20130510

FONA
CLOSER TO YOU

Headquarters:
FONA Dental s.r.o.
Ševčenkova 34
SK - 85101 Bratislava
Slovak Republic
info@fonadental.com
www.fonadental.com

Dealer:

https://stomdevice.ru - стоматологическое и зуботехническое оборудование с доставкой по России и СНГ